

# QUORA

8  
COLOURS


1  
FINISH

1  
TILE SIZE


Hexagon tiles with a handcrafted style, suitable for internal wall applications.




GLOSS (10mm THICK)




TNJ43817  
LRV: 76



TNJ43821  
LRV: 3



TNJ43819  
LRV: 7



TNJ43820  
LRV: 10



TNJ43818  
LRV: 20


METALLIC - V3 HIGH SHADE VARIATION (9mm THK)




TNJ46229



TNJ46230



TNJ46231





|   | SIZES (mm)  | >  <   | FINISHES |
|---|-------------|--------|----------|
| 1 | 150x171 HEX | 9-10mm | GLOSS    |

LRV and PTV values can vary batch to batch, please contact for advice. Swatch colours may vary, samples should be requested.

Find us on:





## LONDON STUDIOS

Grestec has its own Tile Studios in London where architects and designers can visit to discover the latest tile ranges and concepts.






Full of new and existing collections suitable for all situations; commercial, retail and residential. Our studio spaces are an excellent environment for ideas, solutions and project discussions, with plentiful samples to take away immediately or simply order for next day delivery. Further details can be found on our website.

**STUDIO 329 (APPOINTMENT ONLY)**  
Business Design Centre, 52 Upper Street,  
Islington, London, N1 0QH

**POP-UP STUDIO (UNMANNED/ WALK-INS)**  
The Building Centre, 26 Store Street,  
London, WC1E 7BT



## TECHNICAL DATA SHEET - ISO 10545 AVERAGE VALUES

|  |                     |                 |  |                  |   |
|--|---------------------|-----------------|--|------------------|---|
|  3  | Water absorption    | <b>Conforms</b> |  14 | Stain resistance | <b>Resistant</b>                                  |
|  4  | Breaking strength   | <b>Conforms</b> |     | Recycled content | TNJ43817-TNJ43821 - 40%<br>TNJ46229-TNJ4631 - 18% |
|  13 | Chemical resistance | <b>Conforms</b> |  |                  |   |

## SUSTAINABILITY INFORMATION



## CLEANING + MAINTENANCE ADVICE

### INITIAL WASHING

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

**Product: Deterdek Pro**

### ROUTINE MAINTENANCE

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

**Product: Cleaner Pro**