

GEOSPHERE XXL

8

COLOURS

3

FINISHES




5

TILE SIZES


Minimalist and contemporary, with a material that offers high-level performances and a style suitable for architectural and interior designs. Geosphere collection comes in 8 colours, with cooler and warmer shades of grey and several sizes.



V2 moderate shade variation



IMM2783 LRV:71	IMM2784 LRV:53	IMM2785 LRV:25	IMM2786 LRV:20	IMM2787 LRV:11	IMM2788 LRV:50	IMM2789 LRV:33	IMM2790 LRV:16
-------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-------------------



	SIZES (mm)	> <	FINISHES		
1	1200x1200	10mm	NAT (R10)	POL	-
2	600x1200	10mm	NAT (R10)	POL	-
3	600x600	10mm	NAT (R10)	POL	HAM (R11/C)
4	300x600	10mm	NAT (R10)	-	HAM (R11/C)
5	30x30 MOS on 300x300 MESH	10mm	NAT (R10)	POL	-
6	325x1200 Stairtread	10mm	NAT (R10)	-	-
7	325x1200 ST Corner	10mm	NAT (R10)	-	-
8	300x600 ST	10mm	-	-	HAM (R11/C)
9	95x600 SK	10mm	NAT	POL	HAM

LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.
Find us on:





GEOSPHERE IMM2783



GEOSPHERE IMM2786




GEOSPHERE IMM2787



GEOSPHERE IMM2788



GEOSPHERE IMM2788



GEOSPHERE IMM2790

LONDON STUDIOS

Grestec has its own Tile Studios in London where architects and designers can visit to discover the latest tile ranges and concepts.

Full of new and existing collections suitable for all situations; commercial, retail and residential. Our studio spaces are an excellent environment for ideas, solutions and project discussions, with plentiful samples to take away immediately or simply order for next day delivery. Further details can be found on our website.

STUDIO 329 (APPOINTMENT ONLY)
Business Design Centre, 52 Upper Street,
Islington, London, N1 0QH

POP-UP STUDIO (UNMANNED/ WALK-INS)
The Building Centre, 26 Store Street,
London, WC1E 7BT



TECHNICAL DATA SHEET - ISO 10545 AVERAGE VALUES

2	Sizes	Conforms	12	Frost resistance	Resistant
3	Water absorption	<0.05	13	Chemical resistance	UB
4	Bending strength	>50N/mm ²	14	Stain resistance	Class 3
6	Resistance to deep abrasion	< 140 mm ³		Slip resistance DIN 51130 Slip resistance DIN 51097	NAT R10 Bush-hammered R11
8	Linear thermal expansion	a<7-10-6 °C-1		Resistance to light DN 51094	Conforms

SUSTAINABILITY INFORMATION



CLEANING + MAINTENANCE ADVICE

INITIAL WASHING

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.
Product: Deterdek

ROUTINE MAINTENANCE

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.
Product: FilaCleaner

SPECIAL MAINTENANCE

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: Fila PS/87

Please see www.filasolutions.com for methods of use, dilution and coverage.