

Material: **Porcelain** | Appearance: **Concrete** | Application: **Walls and floors**



# Powder


Powder offers 150×150mm concrete-inspired porcelain stoneware in a completely matt finish. The very soft colour shading, played on neutral tones, offers movement and depth to the collection, emphasising its unique and modern character.



Shade variation: V2 moderate



TSD43874



TSD43875



TSD43876



TSD43877

1



	Sizes (mm)	>  <	Finish
1	150x150	8.5mm	NAT (R10)



LRV and PTV values can vary batch to batch, please contact for advice.  
Swatch colours may vary, samples should be requested.



Pushan TSE43880 Powder TSD43876

[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    




# Powder



Above  
Powder TSD43877

Right  
Powder TSD43874 TSD43876



Above  
Powder TSD43875

# Powder

## Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	Conforms
4	Bending strength	Conforms
7	Abrasion resistance	From 4 to 5
8	Thermal expansion coefficient	<9MK-1
9	Resistance to thermal shock	Resistant
12	Frost resistance	Resistant
13	Chemical resistance	From GLA to GLB
14	Stain resistance	Class 5
	Slip resistance	NAT R10

## Sustainability information



### Cleaning and maintenance advice

**Initial washing**  
The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.  
Product: Deterdek Pro

**Routine maintenance**  
The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.  
Product: Cleaner Pro

**Special maintenance**  
Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.  
Product: PS/87 Pro

Please see [www.filasolutions.com](http://www.filasolutions.com) for methods of use, dilution and coverage.