

Material: **Ceramic** | Appearance: **Geometric** | Application: **Walls**

5 Colours
1 Finish
1 Tile size

Quora

Hexagon tiles with a handcrafted style, suitable for internal wall applications.




Gloss (10mm THICK)



TNJ43817
LRV: 76



TNJ43821
LRV: 3




TNJ43819
LRV: 7



TNJ43820
LRV: 10



TNJ43818
LRV: 20



	Sizes (mm)	> <	Finishes
1	150x171 HEX	9-10mm	Gloss



Quora TNJ43821

LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.
Find us on:



Material: **Ceramic** | Appearance: **Geometric** | Application: **Walls**




Quora



Above
Quora TNJ43819

Right
Quora TNJ43818



Above
Quora TNJ43817

LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod - Wet (unless stated). Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



Quora

Technical data sheet - ISO 10545 average values

3	Water absorption	Conforms
4	Modulus of rupture	Conforms
13	Chemical resistance	Conforms
14	Stain resistance	Resistant

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.

LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

Find us on:    