

Material: **Ceramic** | Appearance: **Uniform** | Application: **Walls and floors**

22
Colours

1
Finish

3
Tile sizes

Testa

Colourful mosaics suitable for swimming pool and bathroom walls. Testa is also suitable for pool floors where the water level exceeds 80cm.



Shade variation: V2 - moderate



ANI3066	ANI3067	ANI3068	ANI3069	ANI3073	ANI3074	ANI32795	ANI32791
ANI32789	ANI32796	ANI3075	ANI3076	ANI32792	ANI32793	ANI32794	ANI3070
ANI3077	ANI3078	ANI3079	ANI3072	ANI3071	ANI32790		

	Sizes (mm)	> <	Finishes	1	2	3
1	12x12 mos on 300x300 mesh	7.2mm	Glazed			
2	25x25 mos on 300x300 mesh	7.2mm	Glazed			
3	50x100 mos on 300x300 mesh	7.2mm	Glazed			



Testa ANI3066 ANI3072



LRV and PTV values can vary batch to batch, please contact for advice. Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



Testa



Above
Testa ANI3067 ANI3071 ANI3072

Right
Testa ANI3075 ANI3076



Above
Testa ANI3066 ANI3070



Testa

Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	Conforms
4	Flex resistance	>30-50N/mm ²
8	Linear thermal expansion	< 7MK -1
9	Resistance to thermal shock	Conforms
11	Crazing resistance	Conforms
12	Frost resistance	Conforms
13	Chemical resistance	Conforms

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.