

SAGOL

13
COLOURS


1
FINISHES

1
TILE SIZES














Brick shape tiles suitable for wall and floor applications. Matching grout suggested below - more colours available. Mixed colour options available, see page 2.
















V2 - Moderate Shade Variation 



TILE COLOURS


				
TILE: TMMJ48613 GROUT: YXKERG47722	TILE: TMMJ48614 GROUT: YXKERG47745	TILE: TMMJ48615 GROUT: YXKERG47710	TILE: TMMJ48616 GROUT: YXKERG47711	TILE: TMMJ48617 GROUT: YXKERG47743
				
TILE: TMMJ48618 GROUT: YXKERG47706	TILE: TMMJ48619 GROUT: YXKERG47709	TILE: TMMJ48620 GROUT: YXKERG47744	TILE: TMMJ48621 GROUT: YXKERG47746	TILE: TMMJ48622 GROUT: YXKERG47714
				
TILE: TMMJ48623 GROUT: YXKERG47739	TILE: TMMJ48624 GROUT: YXKERG47734	TILE: TMMJ48625 GROUT: YXKERG47735		

SUGGESTED MATCHING KERAKOL GROUT COLOURS - MORE COLOURS AVAILABLE

				
YXKERG47722	YXKERG47745	YXKERG47710	YXKERG47711	YXKERG47743
				
YXKERG47706	YXKERG47709	YXKERG47744	YXKERG47746	YXKERG47714
				
YXKERG47739	YXKERG47734	YXKERG47735		




	SIZES (mm)	> <	FINISHES
1	70x280	10mm	NAT (R10)


LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.
Find us on: 




SAGOL COLOUR MIXES




TMMJ48626
 91% TMMJ48613
 3% TMMJ48617
 3% TMMJ48620
 3% TMMJ48622




TMMJ48627
 TMMJ48613 61.5%
 TMMJ48617 12.5%
 TMMJ48620 12.5%
 TMMJ48622 12.5%




TMMJ48628
 TMMJ48613 25%
 TMMJ48617 25%
 TMMJ48620 25%
 TMMJ48622 25%




TMMJ48629
 TMMJ48614 91%
 TMMJ48619 3%
 TMMJ48620 3%
 TMMJ48622 3%




TMMJ48630
 TMMJ48614 61.5%
 TMMJ48619 12.5%
 TMMJ48620 12.5%
 TMMJ48622 12.5%




TMMJ48631
 TMMJ48614 25%
 TMMJ48619 25%
 TMMJ48620 25%
 TMMJ48621 25%



TMMJ48632
 TMMJ48623 91%
 TMMJ48618 3%
 TMMJ48624 3%
 TMMJ48625 3%



TMMJ48633
 TMMJ48623 61.5%
 TMMJ48618 12.5%
 TMMJ48624 12.5%
 TMMJ48625 12.5%



TMMJ48634
 TMMJ48623 25%
 TMMJ48618 25%
 TMMJ48624 25%
 TMMJ48625 25%


LRV and PTV values can vary batch to batch, please contact for advice.
 Swatch colours may vary, samples should be requested.

Find us on:    







SAGOL TMMJ48613



SAGOL TMMJ48626




SAGOL TMMJ48615



SAGOL TMMJ48615



SAGOL TMMJ48615



SAGOL TMMJ48614 TMMJ48615 TMMJ48616 TMMJ48621 TMMJ48625

LONDON STUDIOS


Grestec has its own Tile Studios in London where architects and designers can visit to discover the latest tile ranges and concepts.

Full of new and existing collections suitable for all situations; commercial, retail and residential. Our studio spaces are an excellent environment for ideas, solutions and project discussions, with plentiful samples to take away immediately or simply order for next day delivery. Further details can be found on our website.

STUDIO 329 (APPOINTMENT ONLY)
Business Design Centre, 52 Upper Street,
Islington, London, N1 0QH

POP-UP STUDIO (UNMANNED/ WALK-INS)
The Building Centre, 26 Store Street,
London, WC1E 7BT





LONDON STUDIOS

Grestec has its own Tile Studios in London where architects and designers can visit to discover the latest tile ranges and concepts.

Full of new and existing collections suitable for all situations; commercial, retail and residential. Our studio spaces are an excellent environment for ideas, solutions and project discussions, with plentiful samples to take away immediately or simply order for next day delivery. Further details can be found on our website.

STUDIO 329 (APPOINTMENT ONLY)
Business Design Centre, 52 Upper Street,
Islington, London, N1 0QH

POP-UP STUDIO (UNMANNED/ WALK-INS)
The Building Centre, 26 Store Street,
London, WC1E 7BT



TECHNICAL DATA SHEET - ISO 10545 AVERAGE VALUES

2	Dimension and surface quality	Length and width $\pm 0,6\%$ Thickness $\pm 0,5\%$ Straightness of edges $\pm 0,5\%$ Wedging $\pm 0,5\%$ Flatness $< 0,5\%$	14	Stain resistance	Class 3
3	Water absorption	$< 0,5\%$		Slip resistance DIN 51130	NAT R10
9	Thermal shock resistance	Resistant			
12	Frost resistance	Resistant			
13	Chemical resistance	From GLA to GLB			

SUSTAINABILITY INFORMATION



CLEANING + MAINTENANCE ADVICE

INITIAL WASHING

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

ROUTINE MAINTENANCE

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

SPECIAL MAINTENANCE

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: Fila PS/87

Please see www.filasolutions.com for methods of use, dilution and coverage.