

Material: **Ceramic** | Appearance: **Three-dimensional** | Application: **Walls**

6

2

3

Colours
Finishes
Tile sizes

Nalakara


Play with light and shadow with these three-dimensional Nalakara ceramic wall tiles. Nalakara is available in six vibrant colours in a 75x300mm flat and two curved format, to add effortless dimension and character to interior designs. Available in matt and gloss, Nalakara is suitable for internal wall applications.



Shade variation: V1 uniform




Matt



Gloss



	Sizes (mm)	> <	Finishes	
1	75x300	8mm	-	Matt
2	75x300 T1	8-13mm	-	Matt
3	75x300 T2	8-13mm	Gloss	-
4	12x300 JOLLY	8mm	Gloss	Matt



Nalakara QTAA45672T1 QTAA45673T1



LRV and PTV values can vary batch to batch, please contact for advice. Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



Nalakara



Above
Nalakara QTAA45677T2

Right
Nalakara QTAA45677T1 QTAA45674
QTAA45674T1



Above
Nalakara QTAA45672 QTAA45675T1 QTAA45675T2



Nalakara

Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	Conforms
4	Bending strength Modulus of rupture	Conforms
9	Thermal shock resistance	Resistant
13	Chemical resistance	Resistant
14	Stain resistance	Class 5

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.
Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.
Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.