


Material: **Glazed porcelain** | Appearance: **Handmade** | Application: **Walls**



Titan

Ceramic tradition and design meet, reinterpreting the handmade theme in a contemporary way thanks to modern production systems. Highly polished porcelain stoneware bricks in 60x250mm formats dress the surfaces with chromatic details and plays of light. Characterised by the imperfections typical of handmade majolica production, Titan is suitable for a wide range of internal wall coverings.



Shade variation: V3 high



TSASF48666
LRV 60




TSASF48667
LRV 40



TSASF48668
LRV 70



TSASF48669
LRV 11



TSASF48670
LRV 15




TSASF48671
LRV 50



TSASF48672
LRV 14



TSASF48673
LRV 21



	Sizes (mm)	> <	Finishes
1	60x250	9.5mm	Gloss
2	13x250 QR	9.5mm	Gloss



LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.



Titan TSASF48670

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:

Material: **Glazed porcelain** | Appearance: **Handmade** | Application: **Walls**



Titan



Above
Titan TSAF48673

Right
Titan TSAF48669



Above
Titan TSAF48668

LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



Titan

Technical features conforming to european standards EN 14411 ISO 13006 APP. G (GROUP BIA GL EB ≤ 0,5%)
Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	Conforms
4	Modulus of rupture	Min. 35N/mm2
7	Abrasion resistance	4-5
8	Thermal expansion coefficient	≤9MK-1
9	Thermal shock resistance	Resistant
11	Crazing resistance	Conforms
13	Chemical resistance	From GLA to GLB
14	Stain resistance	Class 5

Sustainability information



Cleaning and maintenance advice

Initial washing
The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.
Product: Cloth

Routine maintenance
The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.
Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.