

Material: **Porcelain and ceramic** | Appearance: **Wallpaper** | Application: **Walls and floors**

18

Colours

1

Finish

1

Tile sizes

Osisi

Osisi combines various quirky styles from vibrant tropical prints to classic floral styles. The concept of 'Wall Decor' means reducing the visual perception of joints to create a continuous ceramic surface, resulting in an impressive wallpaper effect. Osisi can bring a new lease of life and a pop of colour to any project. Osisi is available in 600x1200mm with a 7mm thickness; making it the ideal solution for creating elegant and effective interior designs.



Shade variation: V1 uniform



Ceramic / Wall tiles



ABAA45729 ABAA45730 ABAA45731 ABAA45732 ABAA45733 ABAA45734 ABAA45735 ABAA45736 ABAA45737 ABAA45738

Porcelain / Wall + floor tiles (R10)



ABAB45739 ABAB45740 ABAB45741 ABAB45742 ABAB45743 ABAB45744 ABAB45745 ABAB45746

	Sizes (mm)	> <	Finishes	
1	600x1200	7mm	NAT (R10) Porcelain	NAT Ceramic



Osisi ABAA45732 ABAA45738




LRV and PTV values can vary batch to batch, please contact for advice. Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:




Osisi



Above
Osisi ABAA45730 ABAA45731 ABAB45741

Right
Osisi ABAA45734 ABAB45743



Above
Osisi ABAA45735



Osisi

Technical data sheet - ISO 10545 average values

		Ceramic	Porcelain
2	Sizes	Conforms	Conforms
3	Water absorption	Conforms	Conforms
4	Bending strength	Conforms	Conforms
9	Thermal shock resistance	Resistant	Resistant
13	Chemical resistance	Unaffected	Conforms
14	Stain resistance	Conforms	Conforms
	Slip resistance	N/A	Nat R10

Sustainability information



LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

Cleaning and maintenance advice - Ceramic

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.

Cleaning and maintenance advice - Porcelain

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.