

Material: **Porcelain** | Appearance: **Wood effect** | Application: **Walls and floors**



Hardwick


Grestec reinvents the collective idea of wood-effect stoneware, with a project designed to express the value of the material through attention to detail, in which each grain pattern, each gnarl and each irregular feature becomes an expression of tactile elegance, in 5 intense shades.



Shade variation: V2 - Moderate



KAAH49431



KAAH49432



KAAH49433



KAAH49434



KAAH49435

Colour mix



KAAH49448



KAAH49449


Brass trim - 8x8x1200



KAAH49450



LRV and PTV values can vary batch to batch, please contact for advice.
Switch colours may vary, samples should be requested.



Wall: KAAH49432 AAH49432SLT-3D

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    



Hardwick



Wall: KAAH49431
Floor: KAAH49431

Formats

	Sizes (mm)	> <	Finishes		KAAH49431	KAAH49432	KAAH49433	KAAH49434	KAAH49435	KAAH49448	KAAH49449
1	265x1800	10mm	NAT (R10)	-							
2	265x1800 THK	20mm	-	THK (R11/C)							
3	200x1800	10mm	NAT (R10)	-							
4	400x1200 THK	20mm	-	THK (R11/C)							
5	400x1200 CTHK	20mm	-	THK (R11/C)							
6	200x1200	10mm	NAT (R10)	-							
7	200x1200 THK	20mm	-	THK (R11/C)							
8	200x600	10mm	NAT (R10)	-							
9	100x600	10mm	NAT (R10)	-							
10	200x400	10mm	NAT (R10)	-							
11	90x585 CHEV L+R	10mm	NAT (R10)	-							
12	225x395 RHOM	10mm	NAT (R10)	-							
13	300x300 CLR-MOS	10mm	NAT (R10)	-							
14	29x590 BRK-3D	-	NAT	-							
15	290x1200 SLT-3D	10mm	NAT	-							
16	20x1200 on 150x1200 SLT	10mm	NAT (R10)	-							
17	800x800 PQT	10mm	NAT (R10)	-							
18	46x600 SK	10mm	NAT (R10)	-							




LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

Material: **Porcelain** | Appearance: **Wood effect** | Application: **Walls and floors**



Hardwick



Above
Floor: KAAH49448CTHK

Right
Wall: KAAH49434-SLT
Floor: KAAH49434



Above
Wall: KAAH49434SLT-3D
Floor: Chateau Two KAAD49419

LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    



Hardwick

Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	$E \leq 0,04 \%$
4	Breaking strength	53 N/mm ²
6	Resistance to deep abrasion	<128 mm ³
8	Linear thermal expansion	$=7 \times 10^{-6} / ^\circ\text{C} \cdot 1$
9	Thermal shock resistance	No damage
12	Frost resistance	No damage
13	Chemical resistance	A - LA - HA
14	Stain resistance	Class 5
	Slip resistance DIN 51130/ DIN 51097	NAT R10 AS R11/C THK R11/C

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.