

Bailey

4 Colours | 2 Finishes | 2 Sizes

Bailey collection presents diversity in colour in rectangular and lozenge shapes. Available in deep gloss glazes and smooth matt.

Matt



Ooba41837
LRV 62

Ooba41839
LRV 10

Ooba41840
LRV 31

Ooba41842
LRV 34



Ooba41837T1
LRV 62

Ooba41839T1
LRV 10

Ooba41840T1
LRV 31

Ooba41842T1
LRV 34

Gloss



Ooba41844
LRV 62

Ooba41846
LRV 10

Ooba41847
LRV 31

Ooba41849
LRV 34




Ooba41844T1
LRV 62

Ooba41846T1
LRV 10

Ooba41847T1
LRV 31

Ooba41849T1
LRV 34



Bailey




	Sizes (mm)	Thickness	Finishes	
1	75×300	8.5mm	Matt	Gloss
2	75×300 T1	8.5mm	Matt	Gloss
3	11×300 PEN	8.5mm	Matt	Gloss





Above: Bailey Ooba41837 Ooba41844 Ooba41841
Right: Bailey Ooba41837 Ooba41839T1



Above: Bailey Ooba41839 Ooba41846 Ooba41842 Ooba41849



ISO 10545 Results

2	Sizes	(W 74 mm +/- 0,75 mm x 300 mm +/- 0,5 %) GL
3	Water absorption	>10%
4	Breaking strength	Minimum 15 N/mm2 Individual Minimum 12 N/mm2
9	Thermal shock resistance	Conforms
11	Crazing resistance	Resistant
13	Chemical resistance	GHA
14	Stain resistance	Class 5

Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.
Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.
Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.

LRVs and PTVs

LRV and PTV values may vary between batches; please contact us for guidance.

Document + web colours

Swatch colours may differ from final production, samples are recommended.

Sustainability



Shade variation

