

Material: **Porcelain** | Appearance: **Concrete** | Application: **Walls and floor**


5 Colours    1 Finish    4 Tile sizes

# Rodwell

Rodwell combines the tradition of clay with the versatile and hardwearing qualities of porcelain. Five earthy concrete effect colours are interpreted with a modern touch. Subtle, welcoming textures ideal for interior and exterior applications.




Shade variation: V2 - Moderate





FVBX50086    FVBX50087    FVBX50088    FVBX50089    FVBX50090

### Dec T1 600x1200mm



FVBX50086T1    FVBX50087T1    FVBX50088T1    FVBX50089T1    FVBX50090T1

	Sizes (mm)	>  <	Finishes
1	1200x2780	6.5mm	NAT (R10)
2	1200x1200	6.5mm	NAT (R10)
3	600x1200	8.5mm	NAT (R10)
4	800x800	8.5mm	NAT (R10)
5	330x1200x50 ST	6.5mm	NAT (R10)
6	330x1200x50 ST CORNER	6.5mm	NAT (R10)
7	80x1200 SK	6.5mm	NAT (R10)
8	400x800x50 ST	8.5mm	NAT (R10)
9	400x800x50 ST CORNER	8.5mm	NAT (R10)
10	80x800 SK	8.5mm	NAT (R10)



FVBX50089 FVBX50089TUB



LRV and PTV values can vary batch to batch, please contact for advice. Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:

Material: **Porcelain** | Appearance: **Concrete** | Application: **Walls and floor**



# Rodwell



Above  
Floor: FVBX50088 FVBX50088TUB

Right  
Floor: FVBX50086



Above  
Floor: FVBX50090  
Wall: FVBX50090TUB

LRV and PTV values can vary batch to batch, please contact for advice.  
Swatch colours may vary, samples should be requested.

[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    



# Rodwell

## Technical data sheet - ISO 10545 average values

2	Dimension and surface quality	Conforms
3	Water absorption	Conforms
4	Modulus of rupture	Conforms
6	Deep abrasion resistance	Conforms
9	Thermal shock resistance	Resistant
13	Chemical resistance	Conforms
14	Stain resistance	Conforms
	Slip resistance	Nat R10

## Sustainability information



### Cleaning and maintenance advice

#### Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

#### Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

#### Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see [www.filasolutions.com](http://www.filasolutions.com) for methods of use, dilution and coverage.