

Material: **Porcelain** | Appearance: **Cement** | Application: **Walls and floors**

10 Colours 1 Finish 1 Tile size

Crin


Crin combines plain and geometric cement-effect designs in an elegant hexagonal format, bringing a contemporary touch to any space. Ideal for both wall and floor applications, it boasts a natural finish with an R10 slip rating and a PTV exceeding 36, ensuring both style and practicality.




Shade variation: V2 - moderate




BMBC46678
LRV: 51




BMBC46679
LRV: 34




BMBC46680
LRV: 11




BMBC46681
LRV: 26




BMBC46682
LRV: 32




BMBC46678T1




BMBC46679T1




BMBC46680T1



BMBC46681T1



BMBC46682T1



	Sizes (mm)	> <	Finishes
1	150x173	8.2mm	NAT R10 ≥36 PTV



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod - Wet (unless stated). Swatch colours may vary, samples should be requested.



BMBC46682T1

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



Crin



Above
Floor: BMBC46679T1

Right
Floor: BMBC46678T1








Above
Floor: BMBC46680T1



Crin

Technical data sheet - ISO 10545 average values

	Water absorption	≤ 0,5%
	Breaking strength	>1300N
	Slip resistance	R10
	Pendulum test (Shod) - Slider 96	NAT ≥36 PTV 

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.