

Suta



Flat and bevelled metro tiles in a 75x300 and 75x150mm format. Available in a matt finish and suitable for internal wall applications.



MATT



METALLIC



	Sizes (mm)	> <	Finishes	
1	75x300	6mm	Matt	Metallic
2	75x150 BEV	9mm	Matt	Metallic
3	11x400 QR	9mm	Matt	Metallic
4	11x11 CORNER	9mm	Matt	Metallic

8
Colours

2
Finishes

2
Tile sizes



LRV and PTV values can vary batch to batch, please contact for advice. Swatch colours may vary, samples should be requested.

Find us on:



Suta



LRV and PTV values can vary batch to batch, please contact for advice.

Swatch colours may vary, samples should be requested.

Find us on: [Instagram](#) [Pinterest](#) [Twitter](#) [LinkedIn](#)



Suta

Technical data sheet - ISO 10545 average values

3	Water absorption	>10%BIII
4	Breaking strength	>600 N
9	Thermal shock resistance	Resistant
11	Crazing resistance	Pass
13	Chemical resistance	Resistant
14	Stain resistance	Class 5

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly. Product: Cleaner Pro

* Important information - Metallic tiles

The special metallic glaze of these tiles is particularly acid-sensitive. Anti-limescale products should not be used for ordinary maintenance. We recommend to use a natural cleaner such as Fila Cleaner. Do not use aggressive cleaning products such as bleach or ammonia.

Complaints due to a laying or fixing mistakes will not be accepted.

Please see www.filasolutions.com for methods of use, dilution and coverage.

LRV and PTV values can vary batch to batch, please contact for advice. Swatch colours may vary, samples should be requested.

Find us on: 

