

Material: **Porcelain** | Appearance: **Wood effect** | Application: **Walls and floors**

5

Colours

3

Finishes

2

Tile sizes

# Lumber Hi-Tech Two

Timber effect porcelain tiles suitable for wall and floor applications, indoors and outdoors.



Shade variation: V4 - Extreme



PERT42356



PERT42357




PERT42358



PERT42359



PERT42360



	Sizes (mm)	>  <	Finishes	PERT42356	PERT42357	PERT42358	PERT42359	PERT42359AS	PERT42360	PERT42360AS
1	225x1800	10mm	NAT (R10)   ≥36 PTV	-	-	-	-	-	-	-
2	400x1200 THK	20mm	-	-	-	THK R11/C	-	-	-	-
3	300x1200	9.5mm	NAT (R10)   ≥36 PTV	■	■	■	■	■	■	■
4	200x1200	9.5mm	NAT (R10)   ≥36 PTV	■	■	■	■	■	■	■
5	294x340 CHEV	9.5mm	NAT (R10)   ≥36 PTV	■	■	■	■	■	■	■
6	330x1200 ST1	10mm	NAT (R10)   ≥36 PTV	■	■	■	■	■	■	■
7	330x1200x32x32 ST2	10mm	NAT (R10)   ≥36 PTV	■	■	■	■	■	■	■
8	330x1200x32x32 CORNER	10mm	NAT (R10)   ≥36 PTV	■	■	■	■	■	■	■
9	46x1200 SK1	10mm	NAT (R10)   ≥36 PTV	■	■	■	■	■	■	■



PERT42359



LRV and PTV values can vary batch to batch, please contact for advice. Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



# Lumber Hi-Tech Two



Above  
Floor: PERT42356

Right  
Floor: PERT42358



Above  
Floor: PERT42360



# Lumber Hi-Tech Two

## Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	< 0,1 %
4	Bending strength	> 2500 N > 45 N/mm <sup>2</sup>
8	Coefficient of linear thermal expansion	< 9 (MK-1)
9	Thermal shock resistance	Resistant
12	Frost resistance	Resistant
13	Chemical resistance	Class A
14	Stain resistance	Class 5
	Slip resistance	NAT R10   ≥36 PTV AS R11/C THK R11/C
	Recycled content	10mm thick - 15% 20mm thick - 25%

## Sustainability information



## Cleaning and maintenance advice

### Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

### Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

### Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see [www.filasolutions.com](http://www.filasolutions.com) for methods of use, dilution and coverage.