

Frean

10 Colours | 1 Finishes | 2 Sizes

Frean draws inspiration from hand-crafted bricks and comes in an earthy colour palette. Designed to bring a unique urban, metropolitan charm to interior walls and floors, Frean is available in two sizes—60×250mm and 130×250mm—with a structured finish achieving ≥40PTV for slip resistance.



RBCF53833



RBCF53834



RBCF53835



RBCF53836



RBCF53837



RBCF53838



RBCF53839




RBCF53840



RBCF53841




RBCF53842





Frean RBCF53838

Frean



Size (mm)	Thickness	 SHOD PTV WET SLIDER 96	 BAREFOOT PTV WET SLIDER 55	Colour Availability
1 130×250	9.5	Natural ≥40 PTV	Natural ≥40 PTV	RBCF53833-38
2 60×250	9.5	Natural ≥40 PTV	Natural ≥40 PTV	All colours
3 120×250×60 ANG1	9.5	Natural ≥40 PTV	Natural ≥40 PTV	All colours
4 40×150×60 ANG2	9.5	Natural ≥40 PTV	Natural ≥40 PTV	RBCF53833-38
5 150×305×40 ELE	9.5	Natural ≥40 PTV	Natural ≥40 PTV	RBCF53834






Above: Frean RBCF53838
Right: Frean RBCF55228STR



Above: Frean RBCF53838



ISO 10545 Results

3	Water absorption	≤ 0,5%
4	Bending strength	R ≥ 35 N / mm ² S > 700 N (spessore < 7,5 mm) S > 1300 N (spessore ≥ 7,5 mm)
6	Deep abrasion resistance	≤ 175 mm ³
13	Chemical resistance	Class B
14	Stain resistance	Class 3
	Hardness in Mohs degrees	6

Slip rating

Pendulum test - Slider 96 (Shod) Wet Natural ≥40 PTV

Pendulum test - Slider 55 (Barefoot) Wet Natural ≥ 40PTV

Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.

LRVs and PTVs

LRV and PTV values may vary between batches; please contact us for guidance. Swatch colours may differ from final production, samples are recommended.

Document + web colours

Swatch colours may differ from final production, samples are recommended.

Sustainability



Shade variation

