

Material: **Ceramic** | Appearance: **Uniform** | Application: **Walls**

Napier

Napier elevates architectural spaces through the incorporation of a 3D micro-structure, featuring light-reflecting textures that introduce dimension to surfaces. Napier presents a choice of ten colour variations, available in either matt or gloss finishes, all presented in a 65x200mm format.



Shade variation: V1 uniform



Gloss



AWCH48272



AWCH48273



AWCH48274



AWCH48275



AWCH48276




AWCH48277



AWCH48278

Matt



AWCH48279



AWCH48280



AWCH48281

1



Sizes (mm)		> <	Finishes	
1	65x200	5.5mm	Matt	Gloss



LRV and PTV values can vary batch to batch, please contact for advice.
Switch colours may vary, samples should be requested.



AWCH48272 AWCH48274

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:

Material: **Ceramic** | Appearance: **Uniform** | Application: **Walls**



Napier



Above
AWCH48276 AWCH48277





Right
AWCH48280



Above
AWCH48281

LRV and PTV values can vary batch to batch, please contact for advice.
Switch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    



Napier

Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	Conforms
4	Breaking strength	Conforms
4	Bending strength	Conforms
11	Crazing resistance	Conforms
13	Chemical resistance	Conforms
14	Stain resistance	Conforms

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.