

Material: **Porcelain** | Appearance: **Concrete** | Application: **Walls and Floors**

**10**  
Colour

**1**  
Finish

**1**  
Tile size

# Kosmo

Kosmo introduces a selection of concrete-effect tiles with captivating patterns. These tiles blend contemporary hues, including brick-red, sage green, grey, and off-white, across 9 unique pattern choices, ensuring a perfect combination of colour and design.



Sizes (mm)		>  <	Finishes
1	150x150	8mm	NAT (R10)

1



LRV and PTV values can vary batch to batch, please contact for advice. Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



# Kosmo



Above  
Floor: BMBA46671

Right  
Floor: BMBA46665



Above  
Floor: BMBA46667

LRV and PTV values can vary batch to batch, please contact for advice.  
Swatch colours may vary, samples should be requested.



# Kosmo

## Technical data sheet - ISO 10545 average values

<b>3</b>	Water absorption	<b>&lt; 0,05%</b>
<b>4</b>	Breaking strength	<b>&gt; 1300 N</b>
<b>12</b>	Frost resistance	<b>Resistant</b>
	PEI	<b>4</b>
	Slip resistance	<b>NAT R10</b>

## Sustainability information



## Cleaning and maintenance advice

### Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

### Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

### Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see [www.filasolutions.com](http://www.filasolutions.com) for methods of use, dilution and coverage.