

Material: **Porcelain** | Appearance: **Stone** | Application: **Walls and Floors**

5

Colours

3

Finishes

3

Tile sizes

Romney


Romney introduces a palette of neutral stone-inspired hues crafted in full-bodied porcelain, featuring subtle luminous highlights and nuanced nuvolato effects. The surface boasts a tactile uniformity, and characteristics of trowel effects found in concrete. Versatile in application, Romney is well-suited for both internal and external use in public and commercial spaces.



Shade variation: V2 moderate



PDCC51073 PDCC51074 PDCC51075 PDCC51076 PDCC51077



	Sizes (mm)	> <	Finishes	
1	600x1200	9.4mm	NAT R10 PTV ≥36	POL HAM R11/B PTV ≥36
2	600x600	9.4mm	NAT R10 PTV ≥36	- -
3	300x600	9.4mm	NAT R10 PTV ≥36	POL HAM R11/B PTV ≥36
4	300x600 / 300x1200 ST1	9.4mm	NAT R10 PTV ≥36	- -
5	330x1200 ST2	9.4mm	NAT R10 PTV ≥36	- -
6	330x1200 corner	9.4mm	NAT R10 PTV ≥36	- -
7	90x600 SK	9.4mm	NAT R10 PTV ≥36	- -



Romney PDCC51073 PDCC51075



LRV and PTV values can vary batch to batch, please contact for advice. Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



Romney



Above
Romney PDCC51074

Right
Romney PDCC51077POL



Above
Romney PDCC51075HAM



Romney

Technical data sheet - ISO 10545 average values

3	Water absorption	< 0,1%
4	Flexural strength	45 N/mm ²
6	Deep abrasion resistance	≤ 150 mm ³
8	Linear thermal expansion	6 x 10 ⁻⁶
13	Chemical resistance	Class A
14	Stain resistance	Class 4-5
	Slip resistance DIN 51130	NAT R10 PTV ≥36 HAM R11/B PTV ≥36

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.
Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.
Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.
Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.