

Material: **Ceramic & Porcelain** | Appearance: **Terracotta** | Application: **Walls and floors**

9 Colours    2 Finishes    2 Tile sizes

# Rucno


Rucno combines the warmth and appeal of terracotta with the technical properties of porcelain stoneware. The wide colour assortment ranges from warm, earthy hues to the bright, colourful shades used in contemporary design. Rucno has a tactile structure, with the unevenness and flaws typical of hand-crafted pieces.



Shade variation: V4 - Extreme



## Nat R10 - Porcelain




PECB53500    PECB53501    PECB53502    PECB53503    PECB53504    PECB53505

## Gloss - Ceramic



PECC53506    PECC53507    PECC53508

	Sizes (mm)	>  <	Finishes	
1	800x800	8.5mm	NAT (R10)   PTV ≥36	-
2	75x200	8.5mm	NAT (R10)   PTV ≥36	-
3	75x200	8.5mm	-	Gloss
4	50x50	8.5mm	NAT (R10)   PTV ≥36	-



PECB53504



LRV and PTV values can vary batch to batch, please contact for advice. Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



# Rucno



Above  
Wall: PECB53502 PECC53508

Right  
Wall: PECB53506





# Rucno

## Technical data sheet - ISO 10545 average values

<b>3</b>	Water absorption	<b>Conforms</b>
<b>4</b>	Breaking strength	<b>≥ 45 N/mm<sup>2</sup></b>
<b>4</b>	Modulus of rupture	<b>≥ 2000 N</b>
<b>12</b>	Frost resistance	<b>Conforms</b>
<b>13</b>	Chemical resistance	<b>A - LA - HA</b>
<b>14</b>	Stain resistance	<b>Class 5</b>
	Slip resistance	<b>Natural: R10   PTV ≥36 Gloss: N/A</b>

## Sustainability information



LRV and PTV values can vary batch to batch, please contact for advice.  
Swatch colours may vary, samples should be requested.

## Cleaning and maintenance advice - Ceramic

### Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

### Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see [www.filasolutions.com](http://www.filasolutions.com) for methods of use, dilution and coverage.

## Cleaning and maintenance advice - Porcelain

### Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

### Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

### Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see [www.filasolutions.com](http://www.filasolutions.com) for methods of use, dilution and coverage.