

Material: **Porcelain** | Appearance: **Terrazzo** | Application: **Walls and Floors**


5 Colour
1 Finish
4 Tile sizes

Oscar


Oscar unveils a series of porcelain tiles that draw inspiration from the beauty of terrazzo. These tiles are versatile and perfect for enhancing both wall and floor surfaces.




Shade variation: V1 uniform




PACD53610



PACD53611



PACD53612




PACD53613



PACD53614

	Sizes (mm)	> <	Finishes
1	600x600	8.5mm	NAT R10 ≥36 PTV
2	300x600	8.5mm	NAT R10 ≥36 PTV
3	50x50 mos on 300x300 mesh	8.5mm	NAT R10 ≥36 PTV
4	CIR 22 on 295x325 mesh	8.5mm	NAT R10 ≥36 PTV
5	330x330 ST ANG	8.5mm	NAT R10 ≥36 PTV
6	330x600 ST	8.5mm	NAT R10 ≥36 PTV
7	72x600 SK	8.5mm	NAT R10 ≥36 PTV



PACD53610



LRV and PTV values can vary batch to batch, please contact for advice. Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



Oscar



Above
Floor: PACD53612

Right
Floor: PACD53614



Above
Floor: PACD53611



Oscar

Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	Conforms
4	Breaking strength	S ≥ 2000 N
4	Bending strength	Conforms
6	Deep abrasion	≤ 140mm³
8	Coefficient of thermal linear expansion	≤ 7 MK-1
9	Thermal shock resistance	Resistant
12	Frost resistance	Resistant
13	Chemical resistance	Conforms
14	Stain resistance	Class 5
	Slip resistance	NAT R10
	Pendulum test (Slider 96)	NAT ≥36PTV

LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.