

Material: **Porcelain** | Appearance: **Uniform, marble and wood** | Application: **Walls and Floors**

**15**  
Colour

**2**  
Finishes

**3**  
Tile sizes

# Hive

Hive offers an impressive range of tiles, showcasing solid colours, marble, and wood effects. Designed for versatility, these tiles are suitable for both walls and floors, with most formats boasting a slip-resistant PTV rating of over 36.



Shade variation: V3 - High

## 102x118 HEX




BMCF52160 BMCF52161 BMCF52162 BMCF52163 BMCF52164 BMCF52165 BMCF52166 BMCF52167

## 50x50 MOS



BMCJ52191 BMCJ52181 BMCJ52182 BMCJ52183 BMCJ52192 BMCJ52184 BMCJ52185

## 20x145 MOS



	Sizes (mm)	>  <	Finishes
1	50x50 mosaic on 300x300 mesh	8mm	NAT R10/B   ≥ 36PTV
2	20x145 mosaic on 296x299 mesh	8mm	NAT
3	102x118 HEX	8mm	NAT R10/B   ≥ 36PTV



BMCF52165



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod - Wet (unless stated). Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



# Hive



Above  
Wall: BMCF52160 BMCF52161

Right  
Floor: BMCF52160 BMCF52162  
Wall: BMCF52164



Above  
Floor: BMCF52160  
Wall: BMCF52166



# Hive

## Technical data sheet - ISO 10545 average values

	Water absorption	0.4%
	Frost resistance	<b>Resistant</b>
	Stain resistance	<b>Class 5</b>
	PEI	4
	Slip resistance	<b>Nat R10</b>
	Pendulum test - Slider 96 (Shod)	<b>NAT <math>\geq 36</math> PTV</b> 

## Sustainability information



### Cleaning and maintenance advice

#### Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

#### Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

#### Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see [www.filasolutions.com](http://www.filasolutions.com) for methods of use, dilution and coverage.