

Material: **Ceramic** | Appearance: **Uniform** | Application: **Walls**


6 Colours    1 Finish    1 Tile size

# Haddou


Haddou presents a collection of smooth matt ceramic wall tiles in six vibrant colours. Featuring matching tactile accents with striking geometric cubic lines.




Shade variation: V2 - moderate



OOCJ53023    OOCJ53024    OOCJ53025    OOCJ53026    OOCJ53027    OOCJ53028



OOCJ53023T1    OOCJ53024T1    OOCJ53025T1    OOCJ53026T1    OOCJ53027T1    OOCJ53028T1



	Sizes (mm)	>  <	Finishes
1	125x125	8.5mm	Matt
2	8x125 PEN	8.5mm	Matt



Haddou OOCJ53023 OOCJ53023T1

LRV and PTV values can vary batch to batch, please contact for advice.

Swatch colours may vary, samples should be requested.

Find us on:



www.grestec.co.uk | T: +44 (0)345 130 2241 | E: sales@grestec.co.uk

Material: **Ceramic** | Appearance: **Uniform** | Application: **Walls**

# Haddou



LRV and PTV values can vary batch to batch, please contact for advice.  
Swatch colours may vary, samples should be requested.  
Find us on: [Instagram](#) [Pinterest](#) [Twitter](#) [LinkedIn](#)







www.grestec.co.uk | T: +44 (0)345 130 2241 | E: sales@grestec.co.uk

Material: **Ceramic** | Appearance: **Uniform** | Application: **Walls**

# Haddou



LRV and PTV values can vary batch to batch, please contact for advice.  
Swatch colours may vary, samples should be requested.  
Find us on:    



www.grestec.co.uk | T: +44 (0)345 130 2241 | E: sales@grestec.co.uk



# Haddou

## Technical data sheet - ISO 10545 average values

2	Dimensional Features	124,3 mm +/- 0,75 mm x 124,3 mm +/- 0,75mm
3	Water absorption	>10%
4	Modulus of rupture and breaking strength	Thickness $\geq$ 7,5 mm mínimo 12 N/mm <sup>2</sup> Thickness < 7,5 mm mínimo 15 N/mm <sup>2</sup>
11	Crazing resistance	Pass
13	Chemical resistance	GHA
14	Stain resistance	Class 5

## Sustainability information



## Cleaning and maintenance advice

### Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

### Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see [www.filasolutions.com](http://www.filasolutions.com) for methods of use, dilution and coverage.