

Material: **Ceramic** | Appearance: **Handcrafted** | Application: **Walls**

16
Colours

1
Finish

1
Tile size

Poole

Poole introduces a series of 16 softly hued ceramic tiles featuring a handcrafted aesthetic. Poole is designed for internal wall applications and offered in a 50x300mm flat and ribbed format.



Shade variation: V2 moderate



SCDC47131	SCDC47132	SCDC47133	SCDC47134
SCDC47135	SCDC47136	SCDC47137	SCDC47138
SCDD47139	SCDD47140	SCDD47141	SCDD47142
SCDD47143	SCDD47144	SCDD47145	SCDD47146

1

	Sizes (mm)	> <	Finishes
1	50x300	6.8mm	Gloss



Poole SCDC47133



LRV and PTV values can vary batch to batch, please contact for advice. Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:




Poole



Above
Poole SCDC47134 SCDC47136

Right
Poole SCDC47131 SCDC47138



Above
Poole SCDD47145



Poole

Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	15%
4	Flexion resistance	>23N/mm²
8	Linear theric dilatation	<7x10⁻⁶/°C
9	Thermic impact resistance	Conforms
12	Frost resistance	Conforms
13	Chemical resistance	GLA GHA
14	Stain resistance	Class 5

LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.