

Material: **Glazed porcelain** | Appearance: **Uniform** | Application: **Walls**

9

1

2


Colours
Finish
Tile sizes

Vali

Vali offers a stunning play of thin lines. Each tile is an essential element in crafting a visual symphony of shapes and colours. By playing with the orientation, the lines intertwine, weaving a unique and ever-evolving design narrative. The collection comes in two variants: STK 125x250 and 60x250mm brick, both modular and available in 9 colours.



Shade variation: V1 uniform



	Sizes (mm)	> <	Finishes
1	60x250	9mm	NAT R9
2	125x250 STK	9mm	NAT R9



Vali SFCB45923



LRV and PTV values can vary batch to batch, please contact for advice. Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:

Material: **Glazed porcelain** | Appearance: **Uniform** | Application: **Walls**



Vali



Above
Vali SFCB45920

Right
Vali SFCB45920 SFCB45926



Above:
Vali SFCB45920 SFCB45925

LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    



Vali

Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	Conforms
4	Breaking strength Bending strength	Conforms Conforms
8	Linear thermal expansion	<9*10⁻⁶°C-1
9	Thermal shock resistance	Resistant
11	Crazing resistance	Resistant
12	Frost resistance	Resistant
13	Chemical resistance	GA GLA GHA
14	Resistance to fire	Class A1
	Slip resistance	R9

LRV and PTV values can vary batch to batch, please contact for advice.
Switch colours may vary, samples should be requested.

Important information

The final result of the product varies significantly depending on the shade of grout used. We recommend using coloured epoxy grout to ensure chromatic stability over time and resistance to wear.

The final appearance of the product is substantially different depending on the colour of grout used.

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.
Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.
Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.