

Material: **Ceramic** | Appearance: **Uniform** | Application: **Walls**

2

1

5

Colours
Finish
Tile sizes

# Play


Play introduces two monochromatic shades and four shapes: trapezium, hexagon, triangle, and chevron. Each is modular, allowing for seamless combinations.



Shade variation: V1 uniform



OOZ41863HEX



OOZ41864HEX



OOZ41863TRAP



OOZ41864TRAP



OOZ41863CHEV



OOZ41864CHEV




OOZ41863TRI



OOZ41864TRI

Sizes (mm)	>  <	Finishes
1 CHEV1 98x465	8mm	NAT (R9)
2 CHEV2 98x465	8mm	NAT (R9)
3 TRI 200x230	8mm	NAT (R9)
4 HEX 200x230	8mm	NAT (R9)
5 TRAP 115x113x228	8mm	NAT (R9)



LRV and PTV values can vary batch to batch, please contact for advice.  
Switch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:

Material: **Ceramic** | Appearance: **Uniform** | Application: **Walls**



# Play



LRV and PTV values can vary batch to batch, please contact for advice.  
Swatch colours may vary, samples should be requested.

[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    



# Play

## Technical data sheet - ISO 10545 average values

3	Water absorption	<0.1%
4	Modulus of rupture Breaking strength	>1300N >35N/mm <sup>2</sup>
11	Crazing resistance	Pass
12	Frost resistance	Pass
13	Chemical resistance	GLA
14	Stain resistance	>3
	Slip resistance	R9
	PEI ratings	OOZ41863- V OOZ41865- IV OOZ41864- III

## Sustainability information



### Cleaning and maintenance advice

#### Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

#### Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

#### Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see [www.filasolutions.com](http://www.filasolutions.com) for methods of use, dilution and coverage.