

Material: **Porcelain** | Appearance: **Solid Colour** | Application: **Walls and Floors**

45 Colours    2 Finishes    4 Tile sizes

# Vega Matt

Vega offers a wide array of colours ideal for wall and floor applications.



Shade variation: V1 uniform



Matt R10 ≥36 PTV

BMDB54310	BMDB54349	BMDB54311	BMDB54312	BMDB54313	BMDB54314	BMDB54315	BMDB54316
BMDB54317	BMDB54318	BMDB54319	BMDB54320	BMDB54350	BMDB54351	BMDB54321	BMDB54322
BMDB54323	BMDB54324	BMDB54325	BMDB54326	BMDB54327	BMDB54328	BMDB54329	BMDB54330
BMDB54331	BMDB54332	BMDB54333	BMDB54352	BMDB54353	BMDB54339	BMDB54354	BMDB54355
BMDB54334	BMDB54335	BMDB54336	BMDB54337	BMDB54340	BMDB54341	BMDB54338	



Vega BMDB54311 BMDB54325



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 (shod) – Wet (unless stated). Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:


# Vega Matt



## Formats

	Sizes (mm)	>  <	Finishes
1	60x250	8mm	Matt (R10) ≥36 PTV
2	200x200	8mm	Matt (R10) ≥36 PTV
3	100x200*	8mm	Matt (R10) ≥36 PTV
4	100x200 precut 100x100*	8mm	Matt (R10) ≥36 PTV

\*100x200 and 100x200 precut is unavailable in BMD54349-BMD54355



Material: **Porcelain** | Appearance: **Solid Colour** | Application: **Walls**


**45**  
Colours

**2**  
Finishes


**4**  
Tile sizes

# Vega Gloss


Vega gloss offers a wide array of colours ideal for wall applications



**Gloss**



	Sizes (mm)	>  <	Finishes
1	60x250	8mm	Gloss
2	200x200	8mm	Gloss



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 (shod) – Wet (unless stated). Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



# Vega



Above  
Vega BMDB54310 BMDB54328

Right  
Vega BMDB54328 BMDB54332






Above  
Vega BMDB54312 BMDB54316



# Vega

## Technical data sheet - ISO 10545 average values

	Water absorption	<b>Conforms</b>
	Breaking strength	<b>&gt; 1300 N</b>
	Slip resistance	<b>Matt R10 ≥36 PTV</b>

## Sustainability information



## Cleaning and maintenance advice

### Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

### Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

### Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see [www.filasolutions.com](http://www.filasolutions.com) for methods of use, dilution and coverage.