

Material: **Porcelain** | Appearance: **Solid Colour** | Application: **Walls and Floors**

Vega

Vega offers a wide array of colours ideal for wall and floor applications.




Shade variation: V1 uniform



Matt R10 ≥ 36 PTV



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 (shod) – Wet (unless stated). Swatch colours may vary, samples should be requested.



www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:




Vega



Formats

		PTV Wet Slider 96	Colour Availability
Sizes (mm)	Thickness		
1 300x300	8mm	Matt ≥36 PTV	All except BMDB54350-55
2 60x250	8mm	Matt ≥36 PTV	All colours
3 200x200	8mm	Matt ≥36 PTV	All colours
4 100x200	8mm	Matt ≥36 PTV	All except BMDB54350-55
5 100x200 precut 100x100	8mm	Matt ≥36 PTV	All except BMDB54350-55
6 150x173 hex	8mm	Matt ≥36 PTV	All colours



Material: **Porcelain** | Appearance: **Solid Colour** | Application: **Walls and floors**



Vega



Above
Vega BMDB54310 BMDB54328

Right
Vega BMDB54328 BMDB54332



Above
Vega BMDB54312 BMDB54316

LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 (shod) – Wet (unless stated). Switch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    



Vega

Technical data sheet - ISO 10545 average values

3	Water absorption	Conforms
4	Breaking strength	> 1300 N
	Slip resistance	Matt R10 ≥36 PTV

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.