

Material: **Porcelain** | Appearance: **Monocolour** | Application: **Walls and floors**

12
Colours

1
Finish

1
Tile size

Kakam 3.0


Coloured, glazed and unglazed porcelain mosaics in a 30x100mm format. These Kakam 3.0 mosaics provide an excellent choice for projects that call for a kit kat or matchstick design. They are versatile for both vertical and horizontal installation.



Shade variation: V1 uniform



Glazed porcelain




YCDA54200 YCDA54201 YCDA54202 YCDA54203

Unglazed full-bodied porcelain (R10)



YCDA54204 YCDA54205 YCDA54206 YCDA54207 YCDA54208 YCDA54209 YCDA54210 YCDA54211



	Sizes (mm)	> <	Finishes
1	30x100 MOS on 300x300 MESH	5.5mm	Matt Glazed Matt Unglazed (R10)



Kakam 3.0 YCDA54208



LRV and PTV values can vary batch to batch, please contact for advice. Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



Kakam 3.0



Above
Kakam 3.0 YCDA54203

Right
Kakam 3.0 YCDA54207



Above
Kakam 3.0 YCDA54200



Kakam 3.0

Technical data sheet - ISO 10545 average values

	Glazed	Unglazed
2	Sizes	±0,5%
3	Water absorption	0,5% ≤E ≤3%
4	Modulus of rupture	30÷50 N/ mm ²
7	Abrasion resistance	PEI 2-4
8	Coefficient of linear thermal expansion	5x5x10 ⁻⁶ K ⁻¹
9	Resistance to thermal shock	Resistant
11	Crazing resistance	Resistant
12	Frost resistance	Resistant
13	Chemical resistance	GHA
14	Stain resistance	> 3
	Slip resistance	-

Sustainability information



Cleaning and maintenance advice - Glazed

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Cleaning and maintenance advice - Unglazed

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.