

Material: **Porcelain** | Appearance: **Stone** | Application: **Walls and floors**

5 Colours 1 Finish 1 Tile size

Stapleton Brick

Stapleton Brick derives its inspiration from the beauty of natural stone and serves as an essential component that instills harmony within interior spaces. With its natural textures and contemporary colour palette, Stapleton stands as the perfect choice for a wide array of design styles.



Shade variation: V2-V4




PACE53615



PACE53616



PACE53617



PACE53618



PACE53619

1



	Sizes (mm)	> <	Finishes
1	60x240	8.5mm	NAT (R10)



LRV and PTV values can vary batch to batch, please contact for advice. Swatch colours may vary, samples should be requested.



PACE53618

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



Stapleton Brick



Above
Stapleton PACE53615

Right
Stapleton PACE53617



Above
Stapleton PACE53618



Stapleton Brick

Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	Conforms
4	Breaking strength	S ≥ 2000 N
4	Bending strength	Conforms
6	Deep abrasion	≤ 140mm³
8	Coefficient of thermal linear expansion	≤ 7 MK-1
9	Thermal shock resistance	Resistant
12	Frost resistance	Resistant
13	Chemical resistance	Conforms
14	Stain resistance	Class 5
	Slip resistance DIN 51130	NAT R10
	Shade variation	PACE53618 - V4 All other colours: V2

LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.
Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.
Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.
Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.