

Material: **Ceramic** | Appearance: **Handcrafted style** | Application: **Walls**

5 Colours 1 Finish 3 Tile sizes

Kital


Kital ceramic wall tiles feature a striking undulating surface that evokes a handcrafted aesthetic, adding depth and character to any space. Offered in five colours with high shade variation, each tile showcases unique artisanal charm. Available in 75x300mm, 50x300mm, and 200x200mm prescored formats, these versatile tiles suit a range of applications and layouts, perfect for timeless, elegant walls.




Shade variation: V2-V3




SCDB47152



SCDB47153



SCDB47154



SCDB47155



SCDB47156



	Sizes (mm)	> <	Finishes
1	200x200 PRESCORED	7.8mm	Gloss
2	75x300	7.8mm	Gloss
3	50x300	6.8mm	Gloss



Kital SCDB47155



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 (shod) - Wet (unless stated). Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



Kital



Above
Kital SCDB47152

Right
Kital SCDB47153



Above
Kital SCDB47152 SCDB47156



Kital

Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	15%
4	Flexion resistance	>23 N/mm²
8	Linear thermal expansion	< 7·10⁻⁶ /°C
9	Thermal impact resistance	Conforms
10	Expansion due to moisture	<0.6%
11	Crazing resistance	Conforms
12	Frost resistance	Conforms
13	Chemical resistance	GLA - GHA - GA
14	Stain resistance	Class 5

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.
Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.
Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.