

# Inspire

Elevate Spaces with Grestec  
Premium Architectural Tiles





## Welcome to *Inspire Magazine*

In this edition, we showcase eight of our newest tile ranges, launched at this year's Surface Design Show. With a strong emphasis on achieving a PTV of 36+ for floors to meet updated British Standards, each collection draws inspiration from the latest interior design trends. These ranges feature stone-effect textures, marble finishes, artisanal craftsmanship, and pre-scored tile designs.



# Contents

Over 36 PTV with Grestec	04
Splendor	06
Tarant	12
Sym 2.0	18
Woodhaven	24
Whispered Hues	30
Terrosa	36
Twin	40
Ridgepoint	44



# Over 36 PTV with Grestec: Meeting New Slip Resistance Regulations

## - Simplifying Safe Commercial Design with Grestec Tiles

In commercial design, safety has always been a priority. With updated regulations introducing more stringent slip resistance requirements, all commercial buildings must now use flooring with a slip resistance of over 36 PTV. This presents a new challenge for designers and specifiers: achieving a balance between compliance, functionality, and aesthetics while adhering to the highest safety standards.

At Grestec Tiles, we understand the complexities of navigating evolving safety standards while delivering innovative and visually striking spaces. That's why from 2025, all our floor tile ranges will be designed to meet or exceed the 36 PTV slip resistance threshold. Our extensive range is rigorously tested to ensure compliance with industry standards, giving our clients confidence and peace of mind for their commercial projects. Whether you're designing for retail, hospitality, healthcare, or education, our collections provide compliant solutions without compromising on style.

## - Why Slip Resistance Matters?

Slip resistance is more than just a safety checkbox; it's about protecting people and minimising liability. A floor with adequate slip resistance reduces the risk of accidents, ensuring spaces are safer for staff, clients, and visitors. By implementing over 36 PTV flooring across your commercial projects, you're future-proofing your design and adhering to mandatory standards.



### - The Grestec Advantage

Navigating compliance can be daunting, but Grestec Tiles takes the guesswork out of the equation. Here's how we've evolved to make it easier for you:

1. **Guaranteed Compliance:** For 2025, every floor tile in our range now meets or exceeds 36 PTV slip resistance, so you can specify with confidence.
2. **Extensive Options:** We believe safety shouldn't limit creativity. Our collections include a wide array of colours, textures, and finishes, ensuring you can achieve the desired aesthetic without compromising on performance.
3. **Expert Support:** Our experienced team is on hand to assist with product selection, technical advice, and design inspiration, streamlining your project from start to finish.
4. **Sustainability First:** Many of our tiles are manufactured with sustainability in mind, combining eco-friendly production with robust performance to meet the needs of modern construction.

### - A Solution for Every Space

From busy hotel receptions to bustling office corridors, every commercial environment presents unique challenges. Grestec Tiles offers tailored solutions that address the specific demands of each space while ensuring compliance with safety regulations. Our collections have been meticulously tested and designed to perform in the most demanding environments.

### - Your Partner in Safe Design

By choosing Grestec Tiles, you're not just ensuring compliance—you're investing in quality, durability, and innovative design. Our commitment to over 36 PTV flooring simplifies the specifying process, empowering you to create commercial spaces that are as safe as they are beautiful.

Let Grestec Tiles help you bring your vision to life while meeting the latest safety standards. Explore the tile options featured in this booklet and see how we make safe commercial design simple and effective.

For further information, contact our team or visit [www.grestec.co.uk](http://www.grestec.co.uk).



Collection: **Splendor** | Material: **Porcelain** | Appearance: **Limestone ≥36PTV** | Application: **Walls and floors**



Wall: Splendor ICCD47988  
Floor: Splendor ICCD47992



# Splendor

Splendor reimagines the beauty of limestone, capturing its natural textures and subtle colours—ranging from warm white to rich ivory and rugged stone tones. Splendor porcelain stoneware delivers an exceptionally expressive surface: smooth to the touch, with uniform hues, intricate relief details and a PTV rating exceeding 36.



Collection: **Splendor** | Material: **Porcelain** | Appearance: **Limestone ≥36PTV** | Application: **Walls and floors**



Wall: Splendor ICCD47989  
Floor: Splendor ICCD47988

# Splendor



ICCD47988



ICCD47989



ICCD47990




ICCD47991



ICCD47992

	Sizes (mm)	>  <	Finishes	
1	600x1200	8.8mm	NAT R10	≥36PTV -
2	600x1200 THK	20mm	-	THK R11   ≥42 PTV
3	600x1200 3D stripes	8.8mm	NAT R10	≥36PTV -
4	1000x1000	8.8mm	NAT R10	≥36PTV -
5	600x600	8.8mm	NAT R10	≥36PTV -
6	300x600	8.8mm	NAT R10	≥36PTV -
7	50x50 MOS on 300x300	8.8mm	NAT R10	≥36PTV -
8	330x1200 ST	8.8mm	NAT R10	≥36PTV -
9	330x1200 ST L + R	8.8mm	NAT R10	≥36PTV -
10	70x1000 / 70x600 SK	8.8mm	NAT R10	≥36PTV -



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod – Wet (unless stated). Swatch colours may vary, samples should be requested.

Collection: **Splendor** | Material: **Porcelain** | Appearance: **Limestone ≥36PTV** | Application: **Walls and floors**



Above  
Wall: Splendor ICCD47990  
Floor: Splendor ICCD47990

Right  
Floor: Splendor ICCD47992THK





Collection: **Tarant** | Material: **Porcelain** | Appearance: **Marble ≥36PTV** | Application: **Walls and floors**



Wall: Tarant FVBH50035  
Floor: Tarant FVBH50035



# Tarant

Tarant draws inspiration from the finest marbles, showcasing textures and veining characteristic of the natural stone. It seamlessly blends technology with aesthetics to produce flawless surfaces, perfect for contemporary architecture and design, adding a touch of elegance and prestige.



Collection: **Tarant** | Material: **Porcelain** | Appearance: **Marble ≥36PTV** | Application: **Walls and floors**



Wall: Tarant FVBH50035POL  
Floor: Tarant FVBH50035POL

# Tarant



FVBH50030  
FVBH50030POL  
FVBH50030HONED  
FVBH50030BRU



FVBH50033  
FVBH50033POL  
FVBH50033HONED  
-



FVBH50034  
FVBH50034POL  
FVBH50034HONED  
-



FVBH50035  
FVBH50035POL  
FVBH50035HONED  
FVBH50035BRU



FVBH50036  
FVBH50036POL  
FVBH50036HONED  
FVBH50036BRU




FVBH50038  
FVBH50038POL  
-  
-



FVBH52403  
FVBH52403POL  
-  
-




FVBH50042  
FVBH50042POL  
FVBH50042HONED  
FVBH50042BRU



FVBH50045  
FVBH50045POL  
-  
-




FVBH50039  
FVBH50039POL  
-  
-



FVBH52421  
FVBH52421POL  
-  
-

	Sizes (mm)	>  <		Finishes		
1	1200x2780	6mm	-	POL	HONED	BRU
2	600x1200	6mm	NAT R10/B   ≥36PTV	POL	-	-
3	330x1200x50 ST	6mm	NAT R10/B   ≥36PTV	POL	-	-
4	330x1200x50 ST CORNER	6mm	NAT R10/B   ≥36PTV	POL	-	-
5	80x1200 SK	6mm	NAT R10/B   ≥36PTV	POL	-	-



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod – Wet (unless stated).  
Switch colours may vary, samples should be requested.

Collection: **Tarant** | Material: **Porcelain** | Appearance: **Marble ≥36PTV** | Application: **Walls and floors**



Above  
Wall: Cammock FVCB52414T1  
Floor: Tarant FVBH50034

Right  
Wall: Tarant FVBH50042  
Floor: Tarant FVBH50042





Collection: **Sym 2.0** | Material: **Porcelain** | Appearance: **Pattern  $\geq$ 36PTV** | Application: **Walls and floors**



Bar front: Sym 2.0 BMCB52113  
Floor: Sym 2.0 BMCB52111 BMCB52113



## Sym 2.0

Sym 2.0 offers endless possibilities for creative customisation and distinctive designs. The collection includes ten carefully crafted patterns, all featuring a natural  $\geq 36$ PTV finish, ensuring both durability and style.



Collection: **Sym 2.0** | Material: **Porcelain** | Appearance: **Pattern 36PTV** | Application: **Walls and floors**



Floor: Sym 2.0 BMCB52110 BMCB52114 BMCB52115

# Sym 2.0

≥36  
PTV  
RATING



BMCB52110



BMCB52111



BMCB52112



BMCB52113



BMCB52114



BMCB52115



BMCB52116



BMCB52117



BMCB52118



BMCB52119

1



	Sizes (mm)	>  <	Finishes
1	200x200	8.2mm	NAT R10   ≥36PTV

LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod – Wet (unless stated). Swatch colours may vary, samples should be requested.

Collection: **Sym 2.0** | Material: **Porcelain** | Appearance: **Pattern ≥36PTV** | Application: **Walls and floors**



Above  
Floor: Sym 2.0 BMCB52110 BMCB52111 BMCB52118

Right  
Floor: Sym 2.0 BMCB52111 BMCB52114





Collection: **Woodhaven** | Material: **Porcelain** | Appearance: **Timber ≥36PTV** | Application: **Walls and floors**



Floor: Woodhaven TTDB54714




# Woodhaven

Woodhaven, available in a 48×450mm plank format, is a perfect choice for those seeking the natural beauty of wood combined with the durability of porcelain stoneware. This collection, inspired by the essence of oak, comes in six sophisticated colour variants that enhance its authentic wooden charm.



Collection: **Woodhaven** | Material: **Porcelain** | Appearance: **Timber 36PTV** | Application: **Walls and floors**



Floor: Woodhaven TTDB54715

# Woodhaven

≥36  
PTV  
RATING



TTD54710



TTD54711



TTD54712



TTD54713



TTD54714



TTD54715

1



	Sizes (mm)	>  <	Finishes
1	48x450	9.5mm	NAT R10   ≥36PTV

LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod - Wet (unless stated). Swatch colours may vary, samples should be requested.

Collection: **Woodhaven** | Material: **Porcelain** | Appearance: **Timber ≥36PTV** | Application: **Walls and floors**



Above  
Floor: Woodhaven TTDB54713

Right  
Floor: Woodhaven TTDB54711





Collection: **Whispered Hues** | Material: **Ceramic** | Appearance: **Pre-cut/scored** | Application: **Walls**



Wall: Whispered Hues EWDC55605



# Whispered Hues

Whispered Hues introduces relief tiles designed with elongated, pre-cut strips on 150x300mm ceramic. These tiles create a seamless visual effect of continuous lines when grouted. Offered in six colours with a glossy finish.




Collection: **Whispered Hues** | Material: **Ceramic** | Appearance: **Pre-cut/scored** | Application: **Walls**



Whispered Hues EWDC55600 EWDC55602

# Whispered Hues



EWDC55600



EWDC55601



EWDC55602



EWDC55603



EWDC55604



EWDC55605

1



	<b>Sizes (mm)</b>	<b>&gt;  &lt;</b>	<b>Finishes</b>
1	150x300	8.8mm	Gloss

LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod - Wet (unless stated). Swatch colours may vary, samples should be requested.

Collection: **Whispered Hues** | Material: **Ceramic** | Appearance: **Pre-cut/scored** | Application: **Walls**




Above  
Wall: Whispered Hues EWDC55601 EWDC55603

Right  
Bar front: Whispered Hues EWDC55604






Collection: **Terrosa** | Material: **Ceramic** | Appearance: **Pre-cut/scored** | Application: **Walls**



Wall: Terrosa SCDC47158



# Terrosa

Terrosa presents a range of earthy ceramic wall tiles, designed to bring natural warmth and understated elegance to interiors. Featuring a smooth matt finish, these tiles exude a soft, contemporary charm, perfect for creating serene and grounded spaces.



Collection: **Terrosa** | Material: **Ceramic** | Appearance: **Pre-cut/scored** | Application: **Walls**



Wall: Terrosa SCDC47158

# Terrosa



SCDC47157



SCDC47158



	Sizes (mm)	>  <	Finishes
1	100x100 PRESCORED on 200x200	7.8mm	Matt
2	50x200 PRESCORED on 200x200	7.8mm	Matt
3	25x200 PRESCORED on 200x200	7.8mm	Matt
4	75x300	8.4mm	Matt

LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod - Wet (unless stated). Swatch colours may vary, samples should be requested.

Collection: **Twin** | Material: **Ceramic** | Appearance: **Pre-cut/scored** | Application: **Walls**



Wall: Twin SCDG47196



# Twin

Twin ceramic wall tiles showcase a captivating undulating surface, inspired by a handcrafted aesthetic that adds depth and character to any interior. Designed in a practical 25x100 or 100x100mm layout on a 200x200mm prescored format, these tiles offer both style and versatility.



Collection: **Twin** | Material: **Ceramic** | Appearance: **Pre-cut/scored** | Application: **Walls**



Wall: Twin SCDG47199 SCDG47202

# Twin

## Gloss



SCDG47192

SCDG47193

SCDG47194

SCDG47195

SCDG47196

SCDG47197

SCDG47198

SCDG47199

SCDG47202

## Matt



SCDG47200

SCDG47201

1



2



	Sizes (mm)	>  <	Finishes	
1	25x100 PRESCORED on 200x200	7.8mm	Gloss	Matt
2	100x100 PRESCORED on 200x200	7.8mm	Gloss	Matt

LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod - Wet (unless stated). Swatch colours may vary, samples should be requested.

Collection: **Twin** | Material: **Ceramic** | Appearance: **Pre-cut/scored** | Application: **Walls**



Wall: Ridgepoint SCDF47191




# Ridgepoint

Ridgepoint transforms architectural spaces with its innovative 3D micro-structure that create light-reflecting textures, adding depth and dimension to surfaces. Featuring 25x100mm tiles prescored on 200x200mm sheets, Ridgepoint offers versatility and ease of installation.



Collection: **Twin** | Material: **Ceramic** | Appearance: **Pre-cut/scored** | Application: **Walls**



meraki

Wall: Ridgepoint SCDF47190

# Ridgepoint



SCDF47173 SCDF47174 SCDF47175 SCDF47176 SCDF47177 SCDF47178 SCDF47179 SCDF47180 SCDF47181 SCDF47182



SCDF47183 SCDF47184 SCDF47185 SCDF47186 SCDF47187 SCDF47188 SCDF47189 SCDF47190 SCDF47191

1


	Sizes (mm)	>  <	Finishes
1	25x100 PRESCORED on 200x200	7.8mm	Gloss

LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod - Wet (unless stated). Swatch colours may vary, samples should be requested.

**T:** 0345 130 2241

**E:** [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

**W:** [www.grestec.co.uk](http://www.grestec.co.uk)

**Office:**

Unit 4-6 Marley Farm Business Estate,  
Headcorn Road, Smarden,  
Kent TN27 8PJ

**Grestec Studio 329:**

Unit 329, Business Design Centre,  
52 Upper Street, Islington,  
London, N1 0QH  
(By appointment only)

**Grestec Material Source Studio, Glasgow:**

180 W George Street  
Glasgow  
G2 2NR  
(Un-manned: Walk-ins or request an appointment)

