

Material: **Glazed porcelain** | Appearance: **Handcrafted** | Application: **Walls**

10
Colours

1
Finish

1
Tile size

Shift

The Shift series exemplifies the artistry of traditional craftsmanship. Each piece features intentionally crafted irregular edges and dimensional variations, giving it an authentic, handmade appearance. These characteristics make every item distinctive and unique. To preserve this uniqueness, a grout line of at least 2mm is recommended for straight installations, and 3mm for herringbone patterns.



Shade variation: V3 high



	Sizes (mm)	> <	Finishes
1	48x450	9.5mm	Gloss
2	100x350x48	9.5mm	Gloss
3	14x450 QR	9.5mm	Gloss



Shift ELEC42123



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 (shod) – Wet (unless stated). Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:

Material: **Glazed porcelain** | Appearance: **Handcrafted** | Application: **Walls**



Shift



Above
Shift ELEC42125

Right
Shift ELEC42122



Above
Shift ELEC42121

LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 (shod) – Wet (unless stated). Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    



Shift

Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	Conforms
4	Bending strength	Conforms
8	Linear thermal expansion	$a \leq 7.1 \times 10^{-6} \text{ } ^\circ\text{C}^{-1}$
9	Thermal impact resistance	Resistant
11	Glaze crazing resistance	Resistant
12	Frost resistance	Resistant
13	Chemical resistance	Conforms
14	Stain resistance	Class 5

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.