

Material: **Glazed porcelain** | Appearance: **Pigment cement** | Application: **Walls**

25 Colours 1 Finish 1 Tile size

Silence

The Silence collection draws inspiration from the rich heritage of ceramics, reimagining the iconic charm of cement tiles with a fresh, contemporary twist. It offers a captivating array of distinct decorations each designed to add a unique touch to interiors. The colour palette is thoughtfully curated, featuring soothing sage greens, warm brick tones, classic black and white, and a serene mid-blue. Silence is ideal for wall applications.



Shade variation: V1 uniform




					
ELEA42107	ELEA42108	ELEA42109	ELEA42110	ELEA42111	
					
ELEA42107T1	ELEA42107T2	ELEA42107T3	ELEA42108T1	ELEA42108T2	ELEA42108T3
					
ELEA42109T1	ELEA42109T2	ELEA42109T3	ELEA42110T1	ELEA42110T2	ELEA42110T3
					
ELEA42111T1	ELEA42111T2	ELEA42111T3			



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 (shod) - Wet (unless stated). Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:   

Material: **Glazed porcelain** | Appearance: **Pigment cement** | Application: **Walls**

25

Colours

1

Finish

1

Tile size

Silence

The Silence collection draws inspiration from the rich heritage of ceramics, reimagining the iconic charm of cement tiles with a fresh, contemporary twist. It offers a captivating array of distinct decorations each designed to add a unique touch to interiors. The colour palette is thoughtfully curated, featuring soothing sage greens, warm brick tones, classic black and white, and a serene mid-blue. Silence is ideal for wall applications.



Shade variation: V1 uniform



Mix patterns- Supplied as a random mix of 8 patterns in a box



ELEA42107T4



ELEA42108T4




ELEA42109T4



ELEA42110T4



ELEA42111T4



	Sizes (mm)	> <	Finishes
1	200x200	8.5mm	Matt



Silence ELEA42110 ELEA42110T3



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 (shod) - Wet (unless stated). Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



Silence



Above
Silence ELEA42107 ELEA42107T4

Right
Silence ELEA42109 ELEA42109T1



Above
Silence ELEA42111 ELEA42111T2



Silence

Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	Conforms
4	Modulus of rupture Breaking strength	Conforms Conforms
8	Linear thermal expansion	$a \leq 7.1 \times 10^{-6} \text{ } ^\circ\text{C}^{-1}$
9	Thermal impact resistance	Resistant
12	Frost resistance	Resistant
13	Chemical resistance	LA - HA
14	Stain resistance	Conforms

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.
Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.
Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.