

Material: **Glazed porcelain** | Appearance: **Three-dimensional** | Application: **Walls**

9 Colours 1 Finish 1 Tile size

Dalby

The Dalby collection, with its three-dimensional relief and matt texture, exudes timeless elegance. Offered in eight stylish colours, it provides endless possibilities for grouting combinations, making it ideal for creating unique and distinctive spaces.



Shade variation: V1 uniform



WBDA55500 WBDA55501 WBDA55502 WBDA55503 WBDA55504



WBDA55505 WBDA55506 WBDA55507 WBDA55499

1

	Sizes (mm)	> <	Finishes
1	115x231	8.5mm	Matt



Dalby WBDA55506



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod - Wet (unless stated). Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:




Dalby



Above
Dalby WBDA55503

Right
Dalby WBDA55502



Above
Dalby WBDA55500



Dalby

Technical data sheet - ISO 10545 average values

2	Dimensions Surface flatness	Sizes $\pm 0.5\text{mm}$ Curvature $\pm 0.5\%$
3	Water absorption	$0,5\% <E \leq 3\%$ (Blb)
4	Modulus of rupture	$> 30 \text{ N/mm}^2$
9	Resistance to thermal shock	Conforms
11	Crazing resistance	Conforms
12	Frost proof	Conforms
13	Chemical resistance Household chemicals Acids (Low concentration)	GA GLA
14	Stain resistance	Class 5

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.