

Material: **Porcelain** | Appearance: **Solid Colour** | Application: **Walls**

6
Colours

1
Finish

1
Tile size

Emmer

Emmer comes in a rich palette of colours with a glossy finish, presented in a sleek 60x250mm format, perfect for wall applications.



Shade variation: V1 uniform



BMDB54356



BMDB54357



BMDB54358



BMDB54359



BMDB54360




BMDB54361



Sizes (mm)	> <	Finishes
1 60x250	8mm	Gloss



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 (shod) – Wet (unless stated). Swatch colours may vary, samples should be requested.




www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:

Material: **Porcelain** | Appearance: **Solid Colour** | Application: **Walls**



Emmer



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 (shod) – Wet (unless stated). Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    

Material: **Porcelain** | Appearance: **Solid Colour** | Application: **Walls**



Emmer

Technical data sheet - ISO 10545 average values

3	Water absorption	Conforms
4	Breaking strength	> 1300 N

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.