

Material: Porcelain | Appearance: Stone | Application: Walls and Floors

4 Colours 1 Finish 8 Tile size


Aguilla

Aguilla redefines elegance with a seamless fusion of stone's strength and marble's refinement. Rich in natural textures and graceful veining, it offers a sophisticated sensory experience. Available in four exquisite shades and three versatile formats, Aguilla embodies timeless luxury and the beauty of nature reimaged.



RBCI55230 RBCI55231 RBCI55232 RBCI55233

Sizes (mm)	Thickness	PTV Wet Slider 96
1 1200x1200	8.5	Natural ≥ 36PTV
2 600x1200	8.5	Natural ≥ 36PTV
3 600x600	8.5	Natural ≥ 36PTV
4 300x600	8.5	Natural ≥ 36PTV
5 Hex mosaic on 270x294	8.5	Natural ≥ 36PTV
6 Loz mosaic on 236x300	8.5	Natural ≥ 36PTV
7 3D strip 184x1200	11.5	Natural ≥ 36PTV
8 38x1200 stick	8.5	Natural ≥ 36PTV
9 75x600 SK	8.5	Natural ≥ 36PTV
10 330x1200x40 ST	8.5	Natural ≥ 36PTV
11 330x1200x40 STR	8.5	Natural ≥ 36PTV
12 330x1200x40 STL	8.5	Natural ≥ 36PTV



Aguilla RBCI55233

LRV and PTV values may vary between batches; please contact us for guidance.
 Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk
 Find us on:




Material: Porcelain | Appearance: Stone | Application: Walls and Floors

4 Colours 1 Finish 8 Tile size

Aguilla Decors

270×294mm Hexagon mosaics



RBCI55230HEX

RBCI55231

RBCI55232

RBCI55233

263×300mm lozenge mosaic



RBCI55230LOZ

RBCI55231LOZ

RBCI55232LOZ

RBCI55233LOZ

184×1200mm 3D strip



RBCI55230-3DSTP





RBCI55231-3DSTP

RBCI55232-3DSTP

RBCI55233-3DSTP



Aguilla RBCI55231 RBCI55231LOZ

LRV and PTV values may vary between batches; please contact us for guidance.
Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk
Find us on:    





Aguilla Decors







Above
Aguilla RBC155231

Right
Aguilla RBC155231



Above
Aguilla RBC155230

LRV and PTV values may vary between batches; please contact us for guidance.
Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    



Aguilla

Technical data sheet - ISO 10545 average values

3	Water absorption	<0,1%
4	Breaking strength	> 45 N/mm ²
12	Frost resistance	Resistant
14	Stain resistance	Class 5
	Pendulum test - Slider 96 (Shod) Wet	≥ 36PTV

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.

LRV and PTV values may vary between batches; please contact us for guidance.

Swatch colours may differ from final production—samples are recommended.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on: