

Material: Porcelain | Appearance: Stone | Application: Walls and floors

5 Colours   3 Finishes   14 Tile sizes

# Apolith

Apolith is a serene tile collection inspired by lunar landscapes and natural stone, blending soft textures with subtle tonal variation. Its refined, velvety surfaces create calm, light-filled spaces with a timeless sense of balance, making it ideal for both contemporary and classic interiors.



ELIA55912BRU



ELIA55913BRU




ELIA55914BRU



ELIA55915BRU



ELIA55916BRU



ELIA55912T1




ELIA55913T1



ELIA55914T1



ELIA55915T1



ELIA55916T1


LRV and PTV values may vary between batches; please contact us for guidance.  
Swatch colours may differ from final production—samples are recommended.  
[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)  
Find us on:





# Apolith

Sizes (mm)	Thickness	 PTV Wet Slider 96	 PTV Wet Slider 55	Availability
1 1200x2800	6	Brushed 25-35 PTV	Brushed 25-35 PTV	All colours
2 1200x1200	8.8	Brushed 25-35 PTV	Brushed 25-35 PTV	All colours
3 600x1200	8.8	Brushed 25-35 PTV	Brushed 25-35 PTV	All colours
4 600x1200 T1	8.8	Brushed 25-35 PTV	Brushed 25-35 PTV	All colours
5 600x1200 T2	8.8	Brushed 25-35 PTV	Brushed 25-35 PTV	All colours
6 1000x1000	8.8	Brushed 25-35 PTV Hammered $\geq 40$ PTV	Brushed 25-35 PTV Hammered $\geq 40$ PTV	All colours ELJA55913, 15, 16
7 1000x1000 THK	20	Thick $\geq 45$ PTV	Thick $\geq 45$ PTV	ELJA55913, 15, 16
8 600x600	8.8	Brushed 25-35 PTV Hammered $\geq 40$ PTV	Brushed 25-35 PTV Hammered $\geq 40$ PTV	All colours ELJA55913, 15, 16
9 300x600	8.8	Hammered $\geq 40$ PTV	Hammered $\geq 40$ PTV	ELJA55913, 15, 16
10 300x300	8.8	Hammered $\geq 40$ PTV	Hammered $\geq 40$ PTV	ELJA55913, 15, 16
11 Mosaic Mix 300x300	8.8	Brushed 25-35 PTV	Brushed 25-35 PTV	All colours
12 Muretto Mix 290x390	8.8	Brushed 25-35 PTV	Brushed 25-35 PTV	All colours
13 Listello Mix 75x300	8.8	Brushed 25-35 PTV	Brushed 25-35 PTV	All colours
14 Decoro 3D T2 20x1200	8.8	Brushed 25-35 PTV	Brushed 25-35 PTV	All colours
15 ST 330x1000	8.8	Brushed 25-35 PTV Hammered $\geq 40$ PTV	Brushed 25-35 PTV Hammered $\geq 40$ PTV	All colours ELJA55913, 15, 16
16 ST2 330x1000 L /R	8.8	Brushed 25-35 PTV Hammered $\geq 40$ PTV	Brushed 25-35 PTV Hammered $\geq 40$ PTV	All colours ELJA55913, 15, 16
17 ST3 150x300x40	8.8	Brushed 25-35 PTV Hammered $\geq 40$ PTV	Brushed 25-35 PTV Hammered $\geq 40$ PTV	All colours ELJA55913, 15, 16



LRV and PTV values may vary between batches; please contact us for guidance.

Swatch colours may differ from final production—samples are recommended.

[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    



# Apolith

## Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	Conforms
4	Breaking strength Modulus of rupture	Conforms Conforms
6	Resistance to deep abrasion	Conforms
8	Linear thermal expansion	$\alpha \leq 7 \times 10^{-6} \text{ } ^\circ\text{C}^{-1}$
9	Thermal shock resistance	Resistant
12	Frost resistance	Resistant
13	Chemical resistance	A
14	Stain resistance	Class 5
	Pendulum test - Slider 96 (wet)	Brushed 25-35 PTV T1 25-35 PTV T2 25-35 PTV Hammered $\geq 40$ PTV THK $\geq 45$ PTV
	Pendulum test - Slider 55 (wet)	Brushed 25-35 PTV T1 25-35 PTV T2 25-35 PTV Hammered $\geq 40$ PTV THK $\geq 45$ PTV
	Shade variation	V2

LRV and PTV values may vary between batches; please contact us for guidance.  
Swatch colours may differ from final production—samples are recommended.  
[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:

## Sustainability information



### Cleaning and maintenance advice

#### Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.  
Product: Deterdek Pro

#### Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.  
Product: Cleaner Pro

#### Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.  
Product: PS/87 Pro

Please see [www.filasolutions.com](http://www.filasolutions.com) for methods of use, dilution and coverage.