

Material: **Recycled glass** | Appearance: **Solid colour** | Application: **Walls and Floors**

57
Colours

4
Finishes


4
Tile size

Lima 2.0

Lima 2.0 is a contemporary recycled glass mosaic collection designed to bring clarity, colour, and quiet sophistication to interiors. Defined by its solid colours and refined surface, the range offers a clean, architectural look that feels both modern and timeless. With an extensive palette of 57 carefully curated colours, Lima 2.0 moves effortlessly from soft neutrals and mineral tones to fresh aquas, deep blues, and vibrant accents.



LIEA39016 LRV 52	LIEA39017 LRV 36	LIEA39018 LRV 30	LIEA39019 LRV 39	LIEA39020 LRV 36	LIEA39021 LRV 18	LIEA39022 LRV 14	LIEA39023 LRV 14
LIEA39024 LRV 10	LIEA39025 LRV 4	LIEA39026 LRV 12	LIEA39027 LRV 39	LIEA39028 LRV 46	LIEA39029 LRV 40	LIEA39030 LRV 18	LIEA39031 LRV 8
LIEA39032 LRV 9	LIEA39033 LRV 11	LIEA39034 LRV 6	LIEA39035 LRV 13	LIEA39036 LRV 21	LIEA39037 LRV 43	LIEA39038 LRV 32	LIEA39039 LRV 42
LIEA39040 LRV 18	LIEA39041 LRV 11	LIEA39042 LRV 7	LIEA39043 LRV 50				



Lima 2.0 LIEA39066

LRV and PTV values may vary between batches; please contact us for guidance.
 Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk
 Find us on:



Material: **Recycled glass** | Appearance: **Solid colour** | Application: **Walls and Floors**

57
Colours

4
Finishes


4
Tile size

Lima 2.0

Lima 2.0 is a contemporary recycled glass mosaic collection designed to bring clarity, colour, and quiet sophistication to interiors. Defined by its solid colours and refined surface, the range offers a clean, architectural look that feels both modern and timeless. With an extensive palette of 57 carefully curated colours, Lima 2.0 moves effortlessly from soft neutrals and mineral tones to fresh aquas, deep blues, and vibrant accents.



LIEA39044 LRV 49	LIEA39045 LRV 49	LIEA39046 LRV 28	LIEA39047 LRV 53	LIEA39048 LRV 50	LIEA39049 LRV 37	LIEA39050 LRV 24	LIEA39051 LRV 17
LIEA39052 LRV 9	LIEA39053 LRV 22	LIEA39054 LRV 9	LIEA39055 LRV 12	LIEA39056 LRV 24	LIEA39057 LRV 7	LIEA39058 LRV 21	LIEA39059 LRV 8
LIEA39060 LRV 61	LIEA39061 LRV 36	LIEA39062 LRV 44	LIEA39063 LRV 28	LIEA39064 LRV 22	LIEA39065 LRV 17	LIEA39066 LRV 17	LIEA39067 LRV 30
LIEA39068 LRV 38	LIEA39069 LRV 16	LIEA39070 LRV 36	LIEA39071 LRV 15	LIEA39072 LRV 10			



Lima 2.0 LIEA39028

LRV and PTV values may vary between batches; please contact us for guidance.
 Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk
 Find us on:






Lima 2.0



Sizes (mm)	Thickness	PTV Wet	
		Slider 96	Slider 55
1 37×37 mos on 320×320 mesh	4	Matt (M) 25-35 PTV Gloss (G) Anti-slip (AS1) ≥40 PTV Hammered (HAM) ≥40 PTV	Matt (M) 25-35 PTV Gloss (G) Anti-slip (AS1) ≥40 PTV Hammered (HAM) ≥40 PTV
2 22×22 mos on 333×333 mesh	4	Matt (M) 25-35 PTV Gloss (G) Anti-slip (AS1) ≥40 PTV Hammered (HAM) ≥40 PTV	Matt (M) 25-35 PTV Gloss (G) Anti-slip (AS1) ≥40 PTV Hammered (HAM) ≥40 PTV
3 22×22 CIR mos on 333×333 mesh	4	Satin	Satin
4 22×25 HEX mos on 332×332 mesh	4	Satin	Satin



LRV and PTV values may vary between batches; please contact us for guidance.
Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    



Lima 2.0



Above
Lima 2.0 LIEA39062

Right
Lima 2.0 LIEA39064



Above
Lima 2.0 LIEA39067

Material: Recycled glass | Appearance: Solid colour | Application: Walls and Floors



Lima 2.0



Above
Lima 2.0 LIEA39016

Right
Lima 2.0 LIEA39072



Above
Lima 2.0 LIEA39039

LRV and PTV values may vary between batches; please contact us for guidance.
Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    



Lima 2.0

Technical data sheet - ISO 10545 average values

3	Water absorption	$E \leq 0.1\%$
6	Deep abrasion resistance	215 mm ³
12	Frost resistance	Resistant
13	Chemical resistance	LA/HA
14	Stain resistance	Class 5
	Scratch hardness (Mohs)	5
	Pendulum test - Slider 96 (Shod) Wet	Matt (M) 25-35 PTV Gloss (G) Anti-slip (AS1) ≥ 40 PTV Hammered (HAM) ≥ 40 PTV
	Pendulum test - Slider 55 (Barefoot) Wet	Matt (M) 25-35 PTV Gloss (G) Anti-slip (AS1) ≥ 40 PTV Hammered (HAM) ≥ 40 PTV

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.

LRV and PTV values may vary between batches; please contact us for guidance.

Swatch colours may differ from final production—samples are recommended.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on: