

Material: **Glazed porcelain** | Appearance: **Pattern** | Application: **Walls**


**16**  
Colours

**1**  
Finishes


**1**  
Tile size

# Arion

The Arion Collection is a sophisticated series of glazed porcelain tiles that masterfully blends mid-century geometric flair with a contemporary color palette. Designed to transform ordinary walls into dynamic architectural features, this collection is all about bold lines and rich, saturated tones.



Sizes (mm)	Thickness	Finishes
1 150×150	8.5	Gloss



LRV and PTV values may vary between batches; please contact us for guidance.  
 Swatch colours may differ from final production—samples are recommended.  
[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)  
 Find us on:



Material: **Glazed porcelain** | Appearance: **Pattern** | Application: **Walls**


**16**  
Colours

**1**  
Finishes


**1**  
Tile size

# Arion


PATTERN A




PATTERN B




PATTERN C




PATTERN D




PATTERN E




PATTERN F




PATTERN G




PATTERN H




PATTERN I



PATTERN J



PATTERN K





LRV and PTV values may vary between batches; please contact us for guidance.  
Swatch colours may differ from final production—samples are recommended.  
[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)  
Find us on:    






Material: **Glazed porcelain** | Appearance: **Pattern** | Application: **Walls**

## Arion / A<sub>COMPOSITION</sub>




FAIO42133 100%



FAIO42145 50%

FAIO42147 50%



FAIO42132 100%



FAIO42140 55%

FAIO42138 45%


[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    




Material: **Glazed porcelain** | Appearance: **Pattern** | Application: **Walls**


## Arion / B<sub>COMPOSITION</sub>



FAIO42140 100%




FAIO42134 100%



FAIO42145 100%



FAIO42143 100%




FAIO42145 17%



FAIO42147 50%



FAIO42146 33%



FAIO42133 50%



FAIO42132 25%



FAIO42135 25%


[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    



Material: **Glazed porcelain** | Appearance: **Pattern** | Application: **Walls**

## Arion / C COMPOSITION



FAIO42144 100%



FAIO42137 100%



FAIO42140 100%



FAIO42146 100%



[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:




Material: **Glazed porcelain** | Appearance: **Pattern** | Application: **Walls**

## Arion / D COMPOSITION



FAIO42133 100%



FAIO42132 50%

FAIO42144 50%



FAIO42141 100%


[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    




Material: **Glazed porcelain** | Appearance: **Pattern** | Application: **Walls**

## Arion / E COMPOSITION



FAIO42136 100%



FAIO42132 89%

FAIO42133 11%



FAIO42137 100%



FAIO42140 89%

FAIO42139 11%



[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    




Material: **Glazed porcelain** | Appearance: **Pattern** | Application: **Walls**

## Arion / F COMPOSITION



FAIO42144 33%



FAIO42135 67%



FAIO42147 100%



FAIO42143 67%



FAIO42132 33%


[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    



Material: **Glazed porcelain** | Appearance: **Pattern** | Application: **Walls**

## Arion / G COMPOSITION



FAIO42138 100%



FAIO42136 50%

FAIO42142 50%



FAIO42146 22%

FAIO42147 78%



[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    



Material: **Glazed porcelain** | Appearance: **Pattern** | Application: **Walls**


## Arion / H<sub>COMPOSITION</sub>



FAIO42132 67%



FAIO42138 33%



FAIO42142 67%



FAIO42141 25%



FAIO42143 75%



FAIO42135 100%



[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    



Material: **Glazed porcelain** | Appearance: **Pattern** | Application: **Walls**

## Arion / I<sub>COMPOSITION</sub>




FAIO42144 50%



FAIO42139 100%



FAIO42137 75%



FAIO42146 50%



FAIO42142 17%



FAIO42136 8%


[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    



Material: **Glazed porcelain** | Appearance: **Pattern** | Application: **Walls**

## Arion / J COMPOSITION



FAIO42140 100%



FAIO42141 100%



FAIO42139 50%  
FAIO42138 50%




FAIO42134 100%



FAIO42143 68%

FAIO42144 16%


FAIO42141 16%



FAIO42139 50%

FAIO42138 25%

FAIO42132 25%



FAIO42132 16%

FAIO42147 52%

FAIO42136 16%

FAIO42135 16%



[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    



Material: **Glazed porcelain** | Appearance: **Pattern** | Application: **Walls**

## Arion / K COMPOSITION



FAIO42133 100%



FAIO42144 100%



FAIO42146 33%

FAIO42147 67%

[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    



# Arion

## Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	Conforms
4	Bending strength	>38N/mm <sup>2</sup>
5	Shock resistance	COR > 0,73
8	Coefficient of linear thermal expansion	$\alpha l \leq 7.10^{-6}/^{\circ}\text{C}$
14	Resistance to stains	Class 3

## Sustainability information



### Cleaning and maintenance advice

#### Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

#### Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see [www.filasolutions.com](http://www.filasolutions.com) for methods of use, dilution and coverage.

LRV and PTV values may vary between batches; please contact us for guidance.  
Swatch colours may differ from final production—samples are recommended.  
[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on: