

Material: **Ceramic** | Appearance: **Sculptural** | Application: **Walls**


9 Colours

1 Finish

5 Tile sizes

Jinju

Jinju features richly glazed ceramic tiles with a handcrafted look and V4 shade variation, offering strong tonal movement and natural colour diversity from piece to piece. Available in a range of contemporary colours and formats, Jinju brings depth, character, and a refined artisanal feel.



LRV and PTV values may vary between batches; please contact us for guidance.
 Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk
 Find us on:






Jinju







Jinju PQCD51895, PQCD51895T1

Sizes (mm)		Thickness	Finishes
1	65×200	9	Gloss
2	65×200 T1	9	Gloss
3	51×161	9	Gloss
4	100×100	9	Gloss
5	100×100 T1	9	Gloss
6	12×200 QR	9	Gloss



LRV and PTV values may vary between batches; please contact us for guidance.
Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    

Material: Ceramic | Appearance: Sculptural | Application: Walls



Jinju







Above
Jinju PQCD51891 PQCD51891T1

Right
Jinju PQCD51898 PQCD51898T1



Above
Jinju PQCD51897

LRV and PTV values may vary between batches; please contact us for guidance.
Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    

Material: **Ceramic** | Appearance: **Sculptural** | Application: **Walls**



Jinju

Technical data sheet - ISO 10545 average values

3	Water absorption	>10%BIII
4	Bending strength	>600 N
14	Stain resistance	Class 5

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.

LRV and PTV values may vary between batches; please contact us for guidance.
Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on: