

Material: **Porcelain** | Appearance: **Handcrafted** | Application: **Walls**

8
Colours

2
Finish


1
Tile sizes

Montis

Montis offers a versatile toolkit for specifiers looking to manipulate texture, light, and architectural geometry. With a refined 50×150 mm format, Montis enables seamless transitions between understated, tactile surfaces and high-impact, light-reflective focal points.




Matt



PQCE51950 PQCE51951 PQCE51952 PQCE51953

Gloss



PQCE51954 PQCE51955 PQCE51956 PQCE51957



Sizes (mm)	Thickness	Finishes	
1 50×150	8	Matt	Gloss
2 12×200 QR	8	Matt	Gloss



Montis PQCE51951, PQCE51957

LRV and PTV values may vary between batches; please contact us for guidance.
 Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk
 Find us on:



Material: Porcelain | Appearance: Handcrafted | Application: Walls



Montis







Above
Montis PQCE51955

Right
Montis PQCE51953, PQCE51957



Above
Montis PQCE51950, PQCE51956

LRV and PTV values may vary between batches; please contact us for guidance.
Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    



Montis

Technical data sheet - ISO 10545 average values

3	Water absorption	<0.5% Bla
4	Bending strength	>1300N
12	Frost resistance	Conforms
13	Chemical resistance	Resistant
14	Stain resistance	Class 5

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.

LRV and PTV values may vary between batches; please contact us for guidance.
Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on: