

Material: **Porcelain** | Appearance: **Pattern** | Application: **Walls and Floors**

18 Colour      1 Finish      1 Tile size

# Dorn

Dorn is a contemporary reinterpretation of traditional cement tiles, drawing on the rich heritage of historic patterns and pigments that are enjoying a strong resurgence in modern design. With bold colour palettes, tactile surfaces, and striking geometric motifs, Dorn offers architects and designers a versatile material capable of defining and elevating spatial narratives.



Size (mm)	Thickness	PTV Wet Slider 96	PTV Wet Slider 55
1 200x200	8	Natural ≥40 PTV	Natural ≥40 PTV



LRV and PTV values may vary between batches; please contact us for guidance.  
 Swatch colours may differ from final production—samples are recommended.  
[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)  
 Find us on:





# Dorn







Above  
Dorn AWBD49175

Right  
Dorn AWBD49181



Above  
Dorn AWBD49170

LRV and PTV values may vary between batches; please contact us for guidance.  
Swatch colours may differ from final production—samples are recommended.  
[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    



# Dorn

## Technical data sheet - ISO 10545 average values

<b>3</b>	Water absorption	<b>&lt; 0,5%</b>
<b>4</b>	Bending strength	<b>&gt;35 N/mm<sup>2</sup></b>
<b>9</b>	Thermal shock resistance	<b>Resistant</b>
<b>11</b>	Crazing resistance	<b>Ok</b>
<b>13</b>	Household products resistance	<b>GA</b>
<b>14</b>	Stain resistance	<b>Class 5</b>
	Pendulum test (Shod) - Slider 96	<b>Natural ≥ 40PTV</b>
	PTV Slider 96 (Barefoot) Wet	<b>Natural ≥ 40PTV</b>

## Sustainability information



## Cleaning and maintenance advice

**Initial washing**  
The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.  
Product: Deterdek Pro

**Routine maintenance**  
The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.  
Product: Cleaner Pro

**Special maintenance**  
Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.  
Product: PS/87 Pro

Please see [www.filasolutions.com](http://www.filasolutions.com) for methods of use, dilution and coverage.

LRV and PTV values may vary between batches; please contact us for guidance.  
Swatch colours may differ from final production—samples are recommended.  
[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on: