

Fieldstone

8 Colours | 1 Finish | 1 Size

Inspired by organic stone textures, the Fieldstone collection delivers an authentic tactile appeal with its slim, linear brick format 52×290mm. Featuring a textured Natural finish, these porcelain tiles are engineered for low-slip performance (≥ 40 PTV shod / ≥ 36 PTV barefoot), making it ideal for high-traffic commercial floors, wet zones, and transitions. Available in 8 earthy tones, the range is equally suited for striking, dramatic architectural feature walls.




RBGE55315
LRV 47




RBGE55316
LRV 34




RBGE55317
LRV 24




RBGE55318
LRV 12



RBGE55319
LRV 51



RBGE55320
LRV 29



RBGE55321
LRV 22



RBGE55322
LRV 22




Fieldstone



Size (mm)		Thickness	 SHOD PTV WET SLIDER 96	 BAREFOOT PTV WET SLIDER 55
1	52×290	9.5	Natural ≥40 PTV	Natural ≥36 PTV
2	52×190 ANG	9.5	Natural ≥40 PTV	Natural ≥36 PTV



0345 130 2241 | sales@grestec.co.uk | www.grestec.co.uk



Fieldstone RBGE55321



Above: Fieldstone RBGE55318
Right: Fieldstone RBGE55318 RBGE55320



Above: Fieldstone RBGE55316

Fieldstone



ISO 10545 Results

3	Water absorption	< 0,2%
4	Bending strength	> 45 N/mm ²
12	Frost resistance	Resistant
13	Chemical resistance	A • HA • LA
14	Stain resistance	Class 5

Slip rating

Pendulum test - Slider 96 (Shod) Wet	Natural ≥40 PTV
Pendulum test - Slider 55 (Barefoot) Wet	Natural ≥36 PTV

Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.

LRVs and PTVs

LRV and PTV values may vary between batches; please contact us for guidance. Swatch colours may differ from final production, samples are recommended.

Document + web colours

Swatch colours may differ from final production, samples are recommended.

Sustainability



Shade variation

