


Piera

6 Colours | 1 Finish | 1 Size

Piera porcelain tiles unite the artisanal heritage of fired clay with modern performance, featuring slender 75×300mm formats in an 8.8mm thickness. Blending warm earthen clays and deep volcanic greys across six diverse tones, this collection brings a refined, tactile natural character to contemporary commercial and residential interiors.




EWEJ55653



EWEJ55654



EWEJ55655



EWEJ55656



EWEJ55657



EWEJ55658



Piera

1

Size (mm)	Thickness	 SHOD PTV WET SLIDER 96	 BAREFOOT PTV WET SLIDER 55
1 75×300	8.8	Natural ≥36 PTV	Natural 25-35 PTV



Piera EWEJ55658

Slip rating

Pendulum test - Slider 96 (Shod) Wet Natural ≥ 36 PTV

Pendulum test - Slider 55 (Barefoot) Wet Natural 25-35 PTV

Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.

LRVs and PTVs

LRV and PTV values may vary between batches; please contact us for guidance.

Document + web colours

Swatch colours may differ from final production, samples are recommended.

Sustainability



Shade variation

