

Astrea

5 Colours | **1** Finish | **1** Size


Astrea offers a sophisticated take on classical marble marquetry. Crafting intricate geometric lattice patterns through a compact 200×200 mm porcelain format, each 9 mm tile pairs a soft natural finish with an eye-catching framed motif. Available in five rich, marble-effect colourways, Astrea brings timeless architectural grandeur and high-contrast elegance to statement floors in both residential and boutique commercial spaces.




WBFA55558
LRV 55




WBFA55559
LRV 67



WBFA55560
LRV 64



WBFA55561
LRV 58



WBFA55562
LRV 69

Grestec

0345 130 2241 | sales@grestec.co.uk | www.grestec.co.uk



Astrea WBFA55562

Astrea

1

	Sizes (mm)	Thickness	SHOD PTV WET SLIDER 96	BAREFOOT PTV WET SLIDER 55
1	200×200	9	Natural ≥36 PTV	Natural 25-35 PTV



Astrea WBFA55561

0345 130 2241 | sales@grestec.co.uk | www.grestec.co.uk

Astrea



Above: Astrea WBFA55560
Right: Astrea WBFA55558





Above: Astrea WBFA55562

Astrea

ISO 10545 Results

3	**Water absorption**	< 0,5% (Bla)
4	**Modulus of rupture**	> 35 N/mm2
9	**Resistance to thermal shock**	Resistant
11	**Crazing resistance**	Resistant
12	**Frost resistance**	Resistant
13	**Chemical resistance**	GA - GLA
14	**Stain resistance**	Class 5

Slip resistance

Pendulum test - Slider 96 (Shod) Wet	Natural ≥36 PTV
Pendulum test - Slider 55 (Barefoot) Wet	Natural 25-35 PTV

Cleaning and maintenance advice

Initial washing
The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.
Product: Deterdek Pro

Routine maintenance
The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.
Product: Cleaner Pro

Special maintenance
Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.
Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.

LRVs and PTVs

LRV and PTV values may vary between batches; please contact us for guidance. LRV is measured from the primary background color of the tile face (excluding printed border accents)

Document + web colours

Swatch colours may differ from final production, samples are recommended.

Sustainability

Shade variation

