Cova

9 Colours | **1** Finish | **1** Size

Cova brings architectural rhythm and tactile elegance to interior wall surfaces through its distinctive prescored arched pattern. Designed with a high-gloss finish, each 200×200mm ceramic tile creates a seamless flow of light and shade that naturally elongates walls and adds sculptural depth to modern bathrooms, kitchens, and commercial feature spaces. Available in eight curated shades, Cova offers a sophisticated fusion of geometric structure, vibrant color, and effortless installation.



SCEA47203 SCEA47204 SCEA47205 SCEA47206 SCEA47217


SCEA47207 SCEA47208 SCEA47209 SCEA47210

0345 130 2241 | sales@grestec.co.uk | www.grestec.co.uk



Cova SCEA47209

Cova



	Sizes (mm)	Thickness	Finishes
1	200×200 Prescored	7.8	Gloss



Cova SCEA47204

0345 130 2241 | sales@grestec.co.uk | www.grestec.co.uk

Cova

ISO 10545 Results

3	**Water absorption**	>15,6%
4	**Modulus of rupture**	≥ 23 N/mm2
8	**Linear thermal expansion**	<7·10-6/°C
9	**Thermal Shock Resistance**	Resistant
11	**Cracking Resistance**	Resistant
12	**Frost resistance**	Resistant
13	**Chemical resistance**	GHA - GA
14	**Stain resistance**	Class 5

Cleaning and maintenance advice

Initial washing
The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.
Product: Cloth

Routine maintenance
The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.
Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.

LRVs and PTVs

LRV and PTV values may vary between batches; please contact us for guidance.

Document + web colours

Swatch colours may differ from final production, samples are recommended.

Sustainability

ISO 14001

EPD VERIFIED ISO 14025

Shade variation

